



A000590064

OFFICE OF THE COUNTY RECORDER  
CASS COUNTY, MINNESOTA  
CERTIFIED, FILED, AND/OR  
RECORDED ON

2/26/2013 2:12:36 PM

AS DOC #: A000590064

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY  
CASS COUNTY RECORDER

BY KF Dep

Page 1 of 4  
A000590064

# AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA     }  
                                          }ss  
COUNTY OF CASS         }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26<sup>th</sup> day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Section  
Corner to Sec. 's 3-4-9-10 T. 144 N. R. 26 W. No. 750

State of Minnesota, }  
County of Cass }<sup>ss.</sup>

I hereby certify that on the 6th day of April 19 71  
I found the Section corner of Sections 3-4-9-10

which was evidenced by remains of the original Government survey of 1879 and R.W. Fassett  
resurvey of 1953 and documented in Forest Service Record

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place  
a permanent marker consisting of 2 inch x 60 inch galvanized steel pipe with brass cap

I further certify that I established  
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

N. Pine 28 inch N18°E 262.00 feet scribe S3 BT

N. Pine 20 inch N45°E 200.80 feet scribe S3 BT

Tamarack 8 inch S49°W 84.50 feet scribed S9 BT

Tamarack 8 inch S87°W 45.10 feet scribed S9 BT

Cedar post 4 inch x 4 inch x 72 inches long due north 1.80 feet with Forest Service  
signs 54-2 and 54-4 attached

Cedar post 4 inch x 4 inch x 72 inches long due east 1.70 feet with Forest Service  
sign 54-2 attached

Treated post 4 inch set along side iron monument

Dated at Bemidji, Minn., this 12th day of October 19 71

*William H. Okerman*

County Surveyor or Highway Engineer

WILLIAM H. OKERMAN

Minnesota Registration No. 6807

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 26  
day of November A. D. 19 71 at 9 o'clock A. M.

*Bessie Hendrick*

Register of Deeds.

By Deputy.



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

