



A000590065

**OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON**

2/26/2013 2:12:37 PM

**AS DOC #: A000590065
PAGES: 4
REC FEES: 0.00**

**KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep**

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO A CERTIFICATE OF LOCATION
OF GOVERNMENT CORNER**

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;




That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Section
Corner to Sec.'s 10-11-14-15 T. 144 N. R. 26 W No. 747

State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 24th day of July 1970

I found the Section corner of Sections 10-11-14-15

which was evidenced by remains of R.W.Fassett resurvey of 1953 and documented in Forest Service Record

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of 5 1/2 inch x 5 1/2 inch x 60 inch concrete monument with brass cap

I further certify that I established reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Elm 6 inch N40°E 23.50 feet scribed S11 BT

Elm 11 inch S19°E 33.60 feet scribed S14 BT

Elm 15 inch S88°W 14.50 feet scribed S15 BT

W. Oak 17 inch N41°W 26.40 feet scribed S10 BT

Cedar post 4 inch x 4 inch x 72 inches due north 3.40 feet with Forest Service signs 54-2 and 54-4 attached

Treated post 4 inch due east 2.60 feet with Forest Service sign 54-2 attached

Dated at Bemidji, Minn., this 12th day of October 1971

OFFICE OF REGISTER OF DEEDS

County of Cass

William H. Okerman
County Surveyor or Highway Engineer
WILLIAM H. OKERMAN
Minnesota Registration No. 6807

I hereby certify that the within instrument was filed in this office for record on the 26

day of November A. D. 19 71 at 9 o'clock A. M.

Beverly Hendricks
Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

