





That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 26<sup>th</sup> day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section  
Corner to Sec.'s 7-8-17-18 T. 143N R. 26W No. 569State of Minnesota, }  
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 23rd day of August, 1968, I found the Section corner of Sections 7-8-17-18

which was evidenced by remains of the G.L.O. resurvey of 1922 consisting of 2 inch diameter iron post, 3 feet long with brass cap marked:

Poplar 4 inch N67°15'E 15.18 feet - now down and rotted at record bearing and distance.

T143N R26W  
S7|S8  
S18|S17  
1922

Poplar 4 inch S20°45'E 49.50 feet - not found

Poplar 4 inch S50°W 13.20 feet - now down and rotted at record bearing and distance.

Poplar 4 inch N9°W 23.76 feet - now down and rotted at record bearing and distance.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of no new monument set as G.L.O. monument is in good condition.

from which reference or witness monuments are located in the manner following:

Aspen 5 inch S4°W 30.0 feet scribed S18 BT  
Aspen 8 inch S89°E 52.48 feet scribed S17 BT  
Aspen 6 inch N30°E 27.87 feet scribed S8 BT  
Aspen 7 inch N47°W 49.40 feet scribed S7 BT  
W. Spruce 3 inch N6°E 2.7 feet scribed X BT

Steel sign post 72 inches long due east 9.2 feet with Forest Service signs 54-2 and 54-4 attached.

All reference bearings are true bearings.

William H. Okerman  
(Surveyor's Signature)

In the Presence of:

Clifford B. Lenn  
Joyce S. Myher

Subscribed and sworn to before me at

Cass Lake, Minnesota

this 3rd day of June, 1970.

Gordon E. Close  
Notary PublicNotary Public, Cass County, Minn.  
My commission expires July 28, 1971

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 5th

day of February A.D., 1971

at 9 o'clock A.M.

Beulah Hendrick  
Register of Deeds

By Deputy



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

