

000590093

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/26/2013 2:56:15 PM
AS DOC #: A000590093
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY SR Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



A000590093

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 26th day of Jeb.

\_\_\_\_\_, 20<u>13</u> .

Notary Public

SUSANNE GRAY

Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)


My term is indeterminate

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Quarter Corner to Sec. 's 20-29	T. 143N			No. 688
State of Minnesota,	}			
County of Cass				
William H. Okerman		, being first	duly sworn, depe	oses and says:
That I reside atBemi	dji , Minne:	sota, and an	n registered as a I	Land Surveyor under the
laws of the State of Minnesota	, having Surveyor's Reg	gistration Certifi	cate No. 6807	
I further depose and say $t$	hat on the15th		of October	, 1968,
I found the Quarter	corner of Section	ons 20-29		
which was evidenced by Cass Set iron monument - found	County survey of 19	919 by James I	H. Flynn	
Elm 8 inch N58°W 28.5 fee	et - now 15 inch at	record bearing	ng and distance	е
Elm 6 inch Shh <sup>o</sup> W 35.0 fee	et - now 10 inch at	record bearing	ng and distance	е
and that to perpetuate the loca	tion of such corner I di	d, at the exact lo	ocation thereof, pl	ace a permanent marker
consisting of2 inch diamet				•
with a bronze tablet sta	mped	1-1		T143N R26W
				\$20 \$29
			I	1968 R.L.S.No. 6807
from which reference or witnes		d in the manner	·following:	
Elm 15 inch N58°W 28.5 fe Elm 10 inch S44°W 35.0 fe Elm 6 inch S8°W 21.05 fee	et County BT t scribed $\frac{1}{4}$ S29 BT			
Twin Elm 6 inch S50°E 22. Cedar post 4x4x72 inches	4 feet scribed $\frac{1}{4}$ S2 due north 5.70 feet	9 BT with Forest	Service sign	54-4 attached
411 0 )				



1. 8

