



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Feb., 2013.



Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section
Corner to Sec's 28-29-32-33 T. 143N R. 26W No. 590State of Minnesota, }
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6307.

I further depose and say that on the 21st day of September, 1968, I found the Section corner of Sections 28-29-32-33

which was evidenced by remains of the original Government survey of 1872.

Fir 5 inch N18°E 13.20 feet - not found

Birch 5 inch N51°W 9.90 feet - not found

W. Pine 26 inch S50°W 13.20 feet - not found

Birch 7 inch S44°E 26.40 feet - not found

And Cass County survey of 1919 by James H. Flynn

Found iron monument set by Flynn

Basswood 14 inch N11°15'E 64.5 feet - not found

Black Oak 14 inch N45°30'E 35.5 feet - not found

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 6 inch diameter 5 foot long cylindrical concrete monument capped with a 3 inch diameter bronze tablet stamped:

T143N R26W

S29|S28

S32|S33

1968

R.L.S. No. 6807

from which reference or witness monuments are located in the manner following:

R. Oak 9 inch N70°W 138.74 feet scribed S29 BT

R. Oak 9 inch S12°W 23.0 feet scribed S32 BT

W. Oak 8 inch N35°E 224.63 feet scribed S28 BT

R.E.A. pole 9 inch S41°W 52.05 feet - nail on east side of new pole

Cedar post 4 x 4 x 72 inches due south 385 feet with Forest Service signs 54-2 and 54-4 attached.

All reference bearings are true bearings.

William H. Okerman
(Surveyor's Signature)

In the Presence of:

Joyce E. Myke
Clifford E. Myke

Subscribed and sworn to before me at

Cass Lake, Minnesota

this 3rd day of February, 1970

GORDON E. CLOSE
Notary Public, Cass County, Minn.
My commission expires July 28, 1971

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 5th

day of February, A.D., 1971

at 9 o'clock A.M.

Beverly Hendrick
Register of Deeds

By Deputy

