





That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 26<sup>th</sup> day of Feb., 2013.



Notary Public

This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Quarter Sec 31 T. 143N R. 25W  
 Corner to Sec. 36 T. 143N R. 26W No.

State of Minnesota, }  
 County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:  
 That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 30th day of July, 1968,  
 I found the Quarter corner of sections 31-36  
 which was evidenced by remains of the original Government survey of 1872.

Tamarack 10 inch S46°E 8.58 feet - now rotted stump  
 Tamarack 10 inch S81°W 3.30 feet - now rotted stump  
 and U.S. Forest Service survey of 1937 by John Gjelhaug  
 Spruce 5 inch S58°E 15.18 feet - now rotted stump at record bearing and distance with scribe visible  
 Spruce 5 inch N54°E 13.86 feet - now rotted stump at record bearing and distance with scribe visible  
 Cedar Post - found post with scribing visible  
 and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2 inch diameter 5 foot long galvanized steel pipe with a 3 inch diameter bronze tablet stamped

T143N  
 R26 1/4 R25  
 S36 | S31  
 1968  
 R.L.S. No. 6807

from which reference or witness monuments are located in the manner following:

R. Pine 21 inch S14°E 96.3 feet scribed S31 BT  
 B. Spruce 6 inch N74°E 15.05 feet scribed S31 BT  
 B. Spruce 5 inch N22°E 19.25 feet scribed S31 BT

Steel sign post 72 inches long due south 6.55 feet  
 with Forest Service signs 54-2 and 54-4 attached.

All reference bearings are true bearings.

William H. Okerman  
 (Surveyor's Signature)

In the Presence of:

Joyce E. Fryke  
 Clifford B. Simon

Subscribed and sworn to before me at

Cass County, Minnesota

this 18th day of July, 1968

Gordon E. Close

Notary Public

GORDON E. CLOSE

Notary Public, Cass County, Minn.

My commission expires July 28, 1971

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 19th

day of February A.D., 1971

at 9 o'clock A.M.

Beulah Hendricks  
 Register of Deeds

By Deputy



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

