

4000590105

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26 to day of 36.

SUSANNE GRAY
Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

Quarter corner Corner to Sec	32 - 33	T. 11:3 N	R. 25	W No. 360
State of Minnes	sota, (			
ounty of Cass	$\int_{0}^{88}$			
William H.	. Okerman	, being	f first duly sworn,	deposes and says:
That I reside at $1$	Bemidji	, Minnesota , a	nd am registered a	s a Land Surveyor under i
		urveyor's Registration (		
	-			, 19 61
ound Cedar Post br	roken off - for	und stump hole 66" .	•	
found Point of post and that to perpetuate the assisting of	roken off - for in wheel trache location of such	und stump hole 66" .	<b>d.)</b> cact location thereo;	f, place a permanent mari capped with a 3*
Found Cedar Post by Found Point of post	roken off - for in wheel trache location of such	und stump hole 66" ck of abandoned roa	<b>d.)</b> cact location thereo;	
Found Cedar Post by Found Point of post and that to perpetuate the insisting of	roken off - for in wheel track the location of such meter, 60° location	und stump hole 66" ck of abandoned roa	d.)  cact location thereogrete momment,	capped with a 3* Tlli3N R25W 1/li S 32 S 33
Found Cedar Post by Found Point of post and that to perpetuate the insisting of	roken off - for in wheel tracker of such the location of such the locati	und stump hole 66* ck of abandoned roa h corner I did, at the ex ng cylindrical conc nts are located in the m	d.)  cact location thereogrete momment,	capped with a 3" Tll;3N R25W 1/h

All reference bearings are true bearings.

William & Okerna
(Surveyor's Signature)
In the Presence of y
Deiclah Hendricks
Sinch and Allan
Subscribed and support to before me at
Walker, Minnesota
this and day of February 1965
Beneat Hundricks
-Notary Public -
Register of Deeds

OFFICE OF REGISTER OF DE	EEDS
I hereby certify that the with filed in this office for record on th	
day of February at 9 o'clock A.M.	A.D., 19.65
Bellet Sendre	

