




That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 27th day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Center South 1/16 18 T. 145N R. 28W No. 5th P. M. 857
 Corner to Sec.

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 19th day of January 1973
 set
 I ~~did~~ the center south 1/16 corner of Section 18, Township 145 North, Range 28 West
 which was ~~previously~~ established by subdivision of Section 18.

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
 a permanent marker consisting of 2½" diameter galvanized steel monument 5' long with brass
 cap.

I further certify that I established
 reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Oak 10" S16°E 42.46 feet scribed B.T. with nail and disc
 Oak 10" S45°E 68.85 feet scribed B.T. with nail and disc
 Birch 3" S77°30'W 13.77 feet scribed B.T. with nail and disc
 Iron pipe ¾" due north 108.28 feet - pipe is located on the N-S
 one-quarter line.

Dated at Bemidji, Minn., this 1st day of February 19 73

OFFICE OF REGISTER OF DEEDS

County of Cass }

~~WILLIAM H. OKERMAN~~
 William H. Okerman
 Minn. Reg. Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the 5th
 day of February A. D. 19 74 at 9 o'clock A. M.

Beverah Hendricks

Register of Deeds.

By BJK Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

