






That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26<sup>th</sup> day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec. 9 - 10 - 15 - 16 T. 144N R. 29W No. 288

State of Minnesota, }  
 County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807

I further depose and say that on the 15th day of October, 1963,

I found the Section corner of 9 - 10 - 16 - 15

which was evidenced by remains of the original Government survey of 1873.

W. pine 16" N69°W 75 lks(49.5') - Found pine stump at record bearing & distance

Poplar 6" S65°E 22 lks(14.5') - Found decayed aspen stump at record bearing & distance

Oak 6" N59°E 65 lks(42.9') - Found 14" oak at record bearing & distance - scribe overgrown.

Remains of GLO Resurvey of 1926

Iron post 3' long, 2" diameter brass cap marked:(found iron monument)

T144N R29W  
 S9 | S10

W. oak S73°E 41 lks(27.1') T144N R29W S15 BT - Found 16" at record bearing & dist. S16 | S15

Poplar 10" S60°W 21 lks(13.9') T144N R29W S16 BT - Found decayed stump @ rec. brg. & dist. Scribe over 1926

W. oak 8" N9°30'W 80 lks(52.8') T144N R29W S9 BT - Found 14" @ rec. brg. & dist. Scribe over 1926

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of original GLO brass cap

from which reference or witness monuments are located in the manner following:

Oak 16" S73°E 27.1 feet rescribed S15 BT (G.L.O. BT)

Oak 14" N 9°W 52.8 feet rescribed BT (G.L.O. BT)

Oak 11" S 5°W 35.8 feet scribed S16 BT

reference  
 All bearings are true bearings.

William H. Okerman  
 (Surveyor's Signature)

In the Presence of:

Beverah Hendricks

Claudine Taylor

Subscribed and sworn to before me at

Walker, Minnesota

this 20th day of October, 1964

Beverah Hendricks

Notary Public

Deputy Register of Deeds  
 Cass County, Minnesota.

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 20th

day of October, A.D., 1964

at 9 o'clock A.M.

Leonard P. Peterson

Register of Deeds

By Beverah Hendricks Deputy



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

