



A000590236

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/28/2013 7:56:02 AM
AS DOC #: A000590236
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	}
	}ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590236

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 26 day of Jeb. , 20 13.

Notary Public

SUSANNE GRAY
Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

I

Northwest 1/16 Corner to Sec23	T. 144 N		29W	No. 390
State of Minnesota,	3.			
County of Cass				
Peter J. Meyer	Winnest e	heine firet dulu	sworn denose	s and saus:
That I reside at Cass Lake	Minnesota	and am regis	stered as a Lar	nd Surveyor under the
laws of the State of Minnesota, ha	vino Surveyor's Registro	ition Certificate λ	vo. 3628	
I further depose and say that	on the 8th	day of	March	, ₁₉ 63
I found the Northwest 1/16	corner of section	23		
TINTON THOSE PHILIPMONI, NIT ULES I CAUCA	TITE OF DITE OF THE OF BY	TACA OT TACA	COLLICE WOL	,
found to be marked by a	I inch diameter iro	n pose aron a	DIADO CAP	stamped NW 1/16 S23 1926
found to be marked by a White Pine 6 inch $566\frac{10}{2}$ at record bearing and d	I inch diameter iro	(now a 11% Whi	ite Pine	NW 1/16 S23
White Pine 6 inch S66½0 at record bearing and d	E 18 links (11.88') istance with scribe nks (17.16') (now a T	(now a 11 Whin a 1 NW 1/16 S23 marack stump	ite Pine visible.) N5 ⁰ W 17.16	NW 1/16 S23 1926 feet with
White Pine 6 inch $566\frac{10}{2}$ at record bearing and d	E 18 links (11.88') istance with scribe nks (17.16') (now a T ble.)	(now a 11 Whi NW 1/16 S23" amarack stump	ite Pine visible.) N5°W 17.16 n thereof, place	NW 1/16 S23 1926 feet with e a permanent marker
White Pine 6 inch S66½0 at record bearing and d Tamarack 14th N5°W 26 li scribe "NW 1/16 Sth visi and that to perpetuate the location	E 18 links (11.88') istance with scribe nks (17.16') (now a T ble.)	(now a 11 Whi NW 1/16 S23" amarack stump	ite Pine visible.) N5°W 17.16 n thereof, place	NW 1/16 S23 1926 feet with e a permanent marker
White Pine 6 inch S66½0 at record bearing and d Tamarack 14th N5°W 26 li scribe "NW 1/16 Sth visi and that to perpetuate the location	E 18 links (11.88') istance with scribe nks (17.16') (now a T ble.) of such corner I did, at et as the G.L.O. bra	(now a 114 Whin a 174 Whin 1/16 S234 amarack stump the exact location as cap is in the manner follows.)	ite Pine visible.) N5°W 17.16 n thereof, place	NW 1/16 S23 1926 feet with e a permanent marker
White Pine 6 inch S66½ at record bearing and d Tamarack 14 N5° 26 1i scribe NW 1/16 St visi and that to perpetuate the location consisting of No new monument s	E 18 links (11.88') istance with scribe nks (17.16') (now a Tble.) of such corner I did, at let as the G.L.O. bradenuments are located in 64.1 feet mkd M	(now a 11 Whi NW 1/16 S23" amarack stump the exact location ass cap is in the manner follo	ite Pine visible.) N5°W 17.16 n thereof, place	NW 1/16 S23 1926 feet with e a permanent marker

All reference bearings are true bearings.

(Sureeyor's Signature) In the Presence of, Subscribed and sworn to before me at..... Register of Deeds

OFFICE OF REGISTER OF DEEDS

County of Cass	
I hereby certify that the within instrum filed in this office for record on the2nd	ent was
day of February A.D.,	<i>19</i> .65
at godok A.M.	
Register of Deeds	
Bu	Deputy

Page 4 of 4 A000590236

