

A000590262

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/28/2013 9:03:40 AM
AS DOC #: A000590262
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF _____ Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	}
	}ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590262

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 37 day of Fellelley, 20/3.

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Quatter Corner	r to Sec	26 - 35			R. 27 W		100
State o	of Minnes	sota,)					
County of	Cass	,					
	Peter J.	Meyer	······,	being first d	uly sworn, dep	oses and says.	•
That I	reside at	Cass Lake	, Minnesota	, and am 1	registered as a	Land Surveyor	r under the
laws of the S	State of Min	nnesota, having	Surveyor's Registra	tion Certifica	te No3628		
			15th		-		
I found the	Quarter	corn	er ofSections.	.26. - .35			
which was ev N. Pine 18 N28°E 25.08	u N58 om 52	one remainin 6.08' (38 Link	ng bearing tree : s) (Now a dead I	from the or N. Pine tre	riginal Gove ee with scrib	nment Surve be plainly	ey of 1871 visible
and that to p	perpetuate ti	he location of suc	ke, Minnesota. ch corner I did, at t				No. of the contract of the con
consisting of diameter by	a 6" dia ronze tabl	meter 5 foot et stamped:	long cylindrical	Lconcrete			
						1746N R270 1 S26	
				•		<u>\$35</u>	
					17	1962 L.S. No. 1	2628
from which	reference or	witness monume	ents are located in t	he manner fo	ollowing:	140° - 140° °	3020
Jack Pine	e 7" N4°W	W 18.2' MKI 19.4' MKD 1 2" long N76 2 0	52 6 BT				
All refer	rence bear	ings are true	bearings.			,	·
	7						

Two men	·/
(Surveyor's Signature	
In the Presence of:	
June any Melson	
Subscribed and sworn to before me at	
Walker, Minnesota	· . · · · · · · · · · · · · · · · · · ·
this 10 day of December	, 19 ⁶²
Bulch Levouer	<i></i>
-Novary Public	

Deputy Register of Deeds, Cass Co., Minn.

OFFICE OF REGISTER OF DEEDS

Cour	$ity\ of$	Cass	······		
	hereby certi			instrument	was
day	of Decem	ber			62
at	9o	clack A.M.	· Kran	・ ・	
		Register	of Deeds	·	••••••
B_{l}	y (\$	<i>K</i>		<i>De</i>	puty

Page 3 of 4 A000590262

Page 4 of 4 A00059026;

