

A000590278

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/28/2013 9:44:21 AM
AS DOC #: A000590278
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	}
	}ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590278

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this <u>37</u> day of <u>Julinuary</u>, 2013.

Notary Public

LINDA C. HUSBY

Notary Public

State of Minnesota

My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section				. /
Corner to Sec. 11-12-13-14 T.	145 N	R	30 W	No. 470

State of Minnesota, County of

William H. Okerman , being first duly sworn, deposes and says: That I reside at Benidji Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No......6807...... I further depose and say that on the 5th day of May, 1966, I found the Section corner of Sections 11-12-13-14 which was evidenced by G.L.O. resurvey of 1933 a set 2 foot long 6 inch diameter cylindrical concrete monument with brass cap marked T145N R30W Jack Pine 8 inch N34°E 46 1ks or 30.36 feet - Now a rotted stump. **S11 S12** Jack Pine 8 inch S36°E 33 lks or 21.78 feet - Now a stump hole. Jack Pine 6 inch S17 3/4°W 33 lks or 21.78 feet - Now a rotted stump **S13** Sll with scribe marks visible. 1933 Norway Pine 16 inch  $N41_{2}^{10}$ W 178 lks or 117.46 feet - Now a stump with scribe visible at record bearing and distance. and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new marker set, used G.L.O. brass cap.

from which reference or witness monuments are located in the manner following:

Jack Pine 6 inch N15°W 11.7 feet - scribed S11 BT. Jack Pine 9 inch N61°E 17.5 feet - scribed S12 BT. Jack Pine 9 inch S20°E 12.4 feet - scribed S13 BT. Jack Pine 10 inch S47°W 19.2 feet - scribed S14 BT.

All reference bearings are true bearings.

(Surveyor's Signature)

In the Presence of:

Subscribed and sworn to before me at...

Walker, Minnesota 17th day of.

Notary Public


Register of Deeds, Cass County, Minn.

## OFFICE OF REGISTER OF DEEDS Cass

I hereby	y certify that the is office for record	within instrument wa on the 17th
day of	November	A.D., 19 <sup>66</sup>
at9	o'clock A.M.	
· /)		1

Register of Deeds

Page 4 of 4 A000590278



.