

000590282

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/28/2013 9:44:25 AM
AS DOC #: A000590282
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	}
	}ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

Page 2 of 4

A000590282

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 37 day of Filtryary, 20 13.

Notary Public

LINDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section				
Corner to Sec. 13 7-12-13-18	<b>T.</b>	1)45. N	R. 29-30 W	No. 471

## State of Minnesota,

William H. Okerman , being first duly sworn, deposes and says: That I reside at Bemidji Minne sota, and am registered as a Land Surveyor under the I further depose and say that on the 4th day of May 1966 I found the Section corner of Sections 7-12-13-18 which was evidenced by G.L.O. resurvey of 1933 a set 2 foot long 6 inch diameter cylindrical concrete monument with brass cap marked Jack Pine 10 inch  $N76\frac{10}{2}$ E 213 lks or 140.58 feet - Now a fallen snag -R30W R29W Sl2 **S7** Jack Pine 10 inch S57 3/4°E 118 lks or 77.88 feet - Now a 13 inch S57°E 77.88 feet - scribe visible. S18 S13 1933 Jack Pine 14 inch N1 40 466 1ks or 307.56 feet. and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker

from which reference or witness monuments are located in the manner following:

Jack Pine 15 inch N82°E 135.7 feet-scribed S7 BT.

consisting of No new marker set, used G.L.O. brass cap

Steel sign post 72 inches long set due North 5.7 feet with signs attached 54-2 and 54-4.

All reference bearings are true bearings.

(Surveyor's Signature)
In the Presence of:

Bental sendrice

Subscribed and sworn to before me at

Walker, Minnesota

this 17th day of November , 1966

School Venduck

- Notary Public-

Register of Deeds, Cass County, Minn.

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 17th day of November A.D. 19<sup>66</sup>

at 9 o'clock M.

Beulah Hendricks
Resister of Deeds

By......Deput

A000590282

