



A000590341

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/28/2013 2:47:00 PM

AS DOC #: A000590341 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY\_KF\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

| STATE OF MINNESOTA | }   |  |  |
|--------------------|-----|--|--|
|                    | }ss |  |  |
| COUNTY OF CASS     | }   |  |  |

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590341

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 37 day of February, 20

**Notary Public** 

LINDA C. HUSBY

Notary Public

State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

| East 1/16 Sec    | 24  | T. | 145N | R. | 30W | No |
|------------------|-----|----|------|----|-----|----|
| Minnesote<br>ass | 88. |    |      |    |     |    |

from which reference or witness monuments are located in the manner following:

Jack Pine. 12 inch  $S19^{0}W$  14.55 feet marked S24B.T.Jack Pine. 11 inch  $S47^{10}_{2}E$  10,9 feet marked S24B.T.All reference bearings are true bearings.

(Surveyor's Signature)

In the Presence of:

Sellah Sevace

Subscribed and sworn to before me at

Walker, Minnesota

this 4th day of April 1962

Bellah Sevace

Maday Public

Deputy Register of Deeds

Case Sounty, Minnesota

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 4th 4day of April 4.D., 1962

at 9 o'clock A.M.

Leonard P. Peterson

Register of Deeds

By Beulah Devous Deputy



Page 4 of 4 A00059034

