



A000590352

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/28/2013 3:33:42 PM
AS DOC #: A000590352
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	· }· · · · · · · · · · ·
	}ss ·
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590352

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 37 day of Tulingary, 2013.

Notary Public

UNDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section					
Corner to Sec. \$ 19-20-29-30	T.	145 N	R.	30 W	No. 450

State of Minnesota, County of Cass

William H. Okerman, being first duly sworn, deposes and says:		
That I reside at Bemidji , Minnesota , and am registered as a Land Surveyor u	nder the	3
laws of the State of Minnesota, having Surveyor's Registration Certificate No6807		
I further depose and say that on the 18th day of May	1966	,
I found the Section corner of Sections 19-20-29-30		
which was evidenced by G.L.O. survey of 1933 - a set 6 inch diameter 2 foot long cyli	ndrica	1
concrete monument with brass cap stamped	T145N	R30W
White Pine 6 inch N53 3/4°E 14 lks or 9.24 feet - Now a rotted stump - scribe vis. White Pine 10 inch S46°E 40 lks or 26.40 feet - Now a rotted stump at record bearing and distance.	S 19	S 20
White Pine 8 inch S43 3/4°W 41 lks or 27.06 feet - Now a cut off stump at record bearing and distance.	• •	S2 9
Norway Pine 10 inch N74½°W 35 lks or 23.10 feet - Now a 17 inch N75°W 23.10 feet - scribe overgrown. and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent	193 <u>.</u>	_
consisting of No new marker set, used G.L.O. brass cap.	marker	

from which reference or witness monuments are located in the manner following:

G.L.O. Norway Pine 17 inch N75°W 23.1 feet - rescribed S19 BT.

White Pine 17 inch N74°E 28.2 feet - scribed S20 BT.

White Pine 20 inch S5520E 27.0 feet - scribed S29 BT.

White Pine 20 inch Su60W 40.7 feet - scribed S30 BT.

All reference bearings are true bearings.

(Surveyor's Signature)

In the Presence of:

Subscribed and and and all the

this 17th day of November , 19 66
Seulah Mundrick

Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

County ofCass....

I hereby certify that the within instrument was filed in this office for record on the.......17th......

day of November

Beulah Lendricks Register of Deeds

By......Deputy

Page 3 of 4 A000590352

P.M. SECTION_ RANGE TOWNSHIP_ rods 20 0,0 8 20 rods rods 20 40 " " 40 60 " 80 " 60 ." ñ 60 40 " 20 " " 20 11 20 " " 20 40 " 40 60 " H 80 " # 60 " 60 " 40 40 " 11 20 20 " Tods 20

_