



A000590367

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

3/1/2013 8:02:29 AM
AS DOC #: A000590367
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY\_KF\_\_\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	}
	}ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590367

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 37 day of Fibruary, 20

Notary Public

LINDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Center West 1/16 Corner to Sec25	<i>T</i>	145 N	<i>R</i>	30 W	No. 473
State of Minnesota, county of Cass					
: ************************************		7	0 4 7 7	7	,
That I reside at Casa Lake	•				
laws of the State of Minnesota, hav					Surveyor anaer un
I further depose and say that or	-	_			19 62
found the Center West 1/16			• •		
which was evidenced by	· •				
a set iron post 3 feet by 1 i					
Suple 10 inch N382°E 54 lks. stub N38°E 35.64 feet - Sc	or 35.64 feet	t - Now ll in	ch Maple	<b>S 25</b> 1933	C
Maple 9 inch S732°R 51 lik Scribe partly evergrown.	s. or 33.66 i	eet - Now 11	. inch Maple	874 <b>°</b> E 3	3.66 feet -
and that to perpetuate the location of consisting of	diameter 5 fo	oot long galv	ranised wrou		Tlh5N R3OW c W 1/16
from which reference or witness mor			_		\$ 25 1962 RLS No. 3628
Maple 6 inch S220W 69.0 fe	et - scribed	CW 1/16 S25	BT		
Set a steel sign post 72 inch	es long with	signs 54-2 a	and 54-4 atta	ached S30	W 3.13 feet
All reference bearings are tr	ue bearings.				
(Surreyor's Signatu	(vre)	••	CE OF REGIS'		DEEDS

(Surreyor's Signature)

In the Presence of:

Subscribed and sworn to before me at
Walker, Minnesota

this 17th day of November , 19<sup>66</sup>

Sludah Mudrick
-Notary Public
Register of Deeds, Cass County, Minn.

I hereby certify that the within instrument was filed in this office for record on the 17th

day of November A.D., 1966


at 9 o'clock A.M.

Register of Deeds

By Deputy

Page 3 of 4 A000590367

Page 4 of 4 A000590367



Control of the Contro