

A000590369

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

3/1/2013 8:02:31 AM
AS DOC #: A000590369
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY\_KF\_\_\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA	}
	} ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

A000590369

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 37 day of February, 2013.

Notary Public

LINDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

South West 1/16					
Corner to Sec. 25	<b>T.</b>	145N	R	30W	 

## State of Minnesota, County of Cass

Peter J. Meyer , being first duly sworn, deposes and says: laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628 I further depose and say that on the 29th day of January 19 62 I found the South West 1/16 corner of Section 25 which was evidenced by .....an .iron .post 3 .feet .long .l .inch .diameter with brass .cap .marked; White Birch 5 inch  $563^{10}_{2}$ E 51 lks or 33.66 feet (Now a 6 inch Birch SW1/16 S25  $563\frac{1}{2}$  E 33.66 feet scribed SW1/16 S25B.T.) White Pine 36 inch N210W 344 lks or 227.04 feet (Now a 35 inch White 1933 Pine N21°W 227 feet scribed SW1/16 S25BT) The iron post and bearing trees were set by G.L.O. Resurvey of 1933. Copy of the survey notes are no file in the State Capitol, St. Paul, Minn. and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of ..... No. new marker set, used G.L.O. brass cap as corner.

from which reference or witness monuments are located in the manner following:

Maple 6 inch  $S23^{10}_{2}$ W 26.6 feet marked S25B.T.

Oak 5 inch N12°W 37.6 feet marked \$25B.T.

All reference bearings are true bearings.

the maye	
(Surveyor's Signature	)
In the Presence of:	
Jame and Release	•••••
Subscribed and sworn to before me at	
Walker, Minnesota	••••
this 4th day of April	, 19 62
- <i>Notary Public</i> - Deputy Register of Deeds	
Cass County. Minnesota	

## OFFICE OF REGISTER OF DEEDS

County of Cass	
I hereby certify that the within instrument was filed in this office for record on the 4th	3
day of April	
at o'clock AM.	
Leonard P. Peterson	
Register of Deeds	
By Beulah Levous Deputy	,



Page 4 of 4 A0005903

