

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

East Quarter Corner of Section 36
Township 145 N, Range 29 W, 5th P.M.
STATE OF MINNESOTA, COUNTY OF CASS



A000600054

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

1/30/2014 11:01:31 AM

AS DOC #: A000600054

PAGES: 3

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY SR Dep


On 05/06/2010, found a(n): 6" Concrete Monument With 3" Brass Cap Stamped RLS# 6807, 1.4' Above Ground

- left monument as found
- lowered monument
- removed monument (explain)
- raised monument


On _____, set a(n): _____

See "Statement of Evidence" for further details (on back)

(reserved for recording data)



"SKETCH OF REFERENCE TIES" (not to scale - bearings are magnetic)



Ties are measured to center of monument unless otherwise noted.

UNITS = Metric English

UTM COORDINATES, ZONE 15

Northing: 17200943.140
Easting: 1320836.486

NAD 83/1996 Adjustment.
Obtained by RTK GPS observations.

I hereby certify that this survey, plan, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota.

Ross Wamre
signature

6/24/13
date

Ross Wamre, Minnesota License No. 45334



STATEMENT OF EVIDENCE: Quarter Corner common to Section 31 of Township 145 North, Range 28 West and Section 36 of Township 145 North, Range 29 West of the 5th Principal Meridian

1873; This corner was originally established by P.H. Conger for the GLO. His field notes indicate this corner position, witnessed by:

Norway Pine 12" North 76° West, 20.46'
Norway Pine 14" North 81° East, 32.34'

1903; U.S. Army Corps of Engineers recovered this corner according to Township 145 N Range 29 W flowage map for the Leech Lake and Lake Winnibigoshish Reservoirs. Map is on file at the USFS office in Cass Lake, MN.

1960; USFS notes of Township 145 North, Range 28 West, Book 1, Page 8, on file at the USFS office in Cass Lake, MN, show Stanley Morrison, Forestry Aid, found a squared stake 2" above ground in fair condition with no other evidence found witnessed by:

Found FSLP on the N Face of a Red Oak 5" North, 11.88'

1967; USFS notes of Township 145 North, Range 28 West, Book 1, Page 8, on file at the USFS office in Cass Lake, MN, show James Ebstrom, USFS, found no evidence of original bearing trees, one stump he found could possibly be original but it had been burned and weathered off.

1968; W.H. Okerman RLS# 6807 set this corner by proportional measurement from cadastral survey, delineating the Township line. Okerman set a 6" diameter 60" long cylindrical concrete monument capped with a 3" diameter brass cap witnessed by:

Red Oak 10" South 37° West, 51.05' scribed ¼ S36 BT
Red Pine 10" North 19° West, 113.62' scribed ¼ S36 BT
Red Pine 13" North 40° East, 98.41' scribed ¼ S31 BT
Cedar Post 6"x6"x60" due South 35.65' with FS signs 54-2 and 54-4 attached

1974; Field notes of the BLM Dependent Resurvey of a portion of the East Boundary and Subdivisional Lines and the survey of the Subdivisions in Section 25, Township 145 North, Range 29 West, by Charles E. Akin Jr., Cadastral Surveyor, show he found a concrete post, 5" inside dia., with a brass cap marked "RLS no. 6807 1968," 6" above the ground witnessed by:

Red Pine 13" North 40° East, 149 Links scribe visible: "¼ S31 BT" (1968 Tie)
Red Pine 10" North 19° West, 172 Links scribe visible: "¼ S36 BT" (1968 Tie)
Red Oak 10" South 37° West, 77 Links scribe visible: "¼ S36 BT" (1968 Tie)

2010; A Kadrmas, Lee & Jackson survey crew found a 6" concrete monument with a 3" diameter brass cap stamped RLS# 6807 1.4' above ground, witnesses found and established as shown on face of this certificate.

2012; Ross Wamre, RLS #45334, after analysis of record and survey information accepts this monument as the correct perpetuation of the corner.



Contacts pertaining to this corner are as follows:

Cass County Recorder's Office

Cass County Engineers Office

Cass County Surveyors Office

Northern Engineering and Consulting Inc.

United States Forest Service

MnDOT – District Office 2

Bureau of Indians Affairs – Bemidji

Bureau of Land Management's (BLM) Northeastern States Field Office