

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Corner of Section 26
Township 145 N, Range 30 W, 5th P.M.
STATE OF MINNESOTA, COUNTY OF CASS



A000601405

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

4/3/2014 11:30:16 AM

AS DOC #: A000601405

PAGES: 3

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY SR Dep


On 04/27/2010, found a(n): 6" concrete monument with a
DATE
3.5" Brass cap stamped 1933, Flush with Ground

- left monument as found
- removed monument (explain)
- lowered monument
- raised monument

On _____, set a(n): _____
DATE

See "Statement of Evidence" for further details (on back)

(reserved for recording data)



"SKETCH OF REFERENCE TIES" (not to scale - bearings are magnetic)



Ties are measured to center of monument unless otherwise noted.

UNITS = Metric English

UTM COORDINATES, ZONE 15

Northing: 17209230.500

Easting: 1284372.271

NAD 83/1996 Adjustment.

Obtained by RTK GPS observations.

I hereby certify that this survey, plan, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota.

Ross Wamre
signature

7/8/13
date

Ross Wamre, Minnesota License No. 45334





STATEMENT OF EVIDENCE: Corner common to Sections 23, 24, 25 and 26 of Township 145 North,
Range 30 West of the 5th Principal Meridian

1874; This corner was originally established by P.H. Conger for the Government Land Office. His field notes indicate a wood post set at this corner position, witnessed by:

Aspen 8" North 42° West, 48 links
Birch 18" North 80° East, 37 links
Birch 8" South 47° East, 32 links
Birch 8" South 10° West, 30 links

1900; U.S. Army Corps of Engineers recovered this corner according to Township 145 N Range 28 W flowage map for the Lake Winnibigoshish Reservoir. Map is on file at the USFS office in Cass Lake, MN.

1915; GLO supplemental plat for Section 24, T. 145N, R. 30W 5th PM shows this corner location.

1933; Resurvey by GLO, Willis W. Bandy, determined from the remains of original bearing trees set a brass tablet, 3 .5" diameter, 3" stem, in a cylindrical concrete monument, 2' long, 6" diameter, 20" in the ground witnessed by:

Poplar Stump 14" North 42° West, 48 links (1874 tie)
Fallen Birch 10" North 61-3/4° East, 37 links (1874 tie)
Ash 8" North 37 ½° East, 247 links
White Birch 2" South 80 ¾° East, 32 links
White Birch 3" South 60 ½° West, 81 links
Ash 11" North 1° West, 235 links

1936; Harold Hennes, USFS 874 forms, found a brass capped monument set in cement 2" above ground in place. Information on file with the USFS office in Cass Lake.

1986; C. Krause, J.A. and G.B., USFS Book 1 of Township 145 North, Range 30 West, page 27, found concrete cylinder set flush with the ground and three of the 1933 BTs

1933 Ash 14" North 38° East, 163.02' - scribe visible
1933 Birch 9" South 61° West, 53.46' - snag
1933 Ash 15" North 1° West, 155.1' - top broken

New BT's:

White Oak 7" North 27° West, 86.05' - 50d with tag
White Oak 7" North 11° East, 50.9' - 20d with tag
Maple 6" South 32° East, 40.8' - 50d with tag

Corner falls in Balsam and Poplar on North side of a slight ridge. Ash timber approx. 100' NE from corner. Placed a FSLP on a 6" spruce, South 245' from corner. Spruce is on the South side of E-W road, old, down fence line ran South of corner. Chained from East 1/16, West 1336' distance checked.



2010; A Kadrmas, Lee & Jackson survey crew found a 6" concrete monument with a 3.5" brass cap standard GLO monument stamped 1933, flush with ground. Witnesses found and established as shown on the face of this certificate.

2012; Ross Wamre, PLS #45334, after analysis of record and survey information accepts this monument as the correct perpetuation of the corner.

Contacts pertaining to this corner are as follows:

- Cass County Recorder's Office
- Cass County Engineers Office
- Cass County Surveyors Office
- Northern Engineering and Consulting Inc.
- United States Forest Service
- MnDOT – District Office 2
- Bureau of Indians Affairs – Bemidji
- Bureau of Land Management's (BLM) Northeastern States Field Office