

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Corner of Section 25
Township 145 N, Range 30 W, 5th P.M.
STATE OF MINNESOTA, COUNTY OF CASS



A000601406

**OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON**

4/3/2014 11:30:17 AM

AS DOC #: A000601406

PAGES: 3

REC FEES: 0.00

**KATHRYN M. NORBY
CASS COUNTY RECORDER**

BY SR Dep


On 04/21/2010, found a(n): 6" concrete monument with a 3.5" Brass Cap stamped 1933, flush with ground

- | | |
|--|---|
| <input checked="" type="checkbox"/> left monument as found | <input type="checkbox"/> lowered monument |
| <input type="checkbox"/> removed monument (explain) | <input type="checkbox"/> raised monument |

On _____, set a(n): _____

See "Statement of Evidence" for further details (on back)

(reserved for recording data)



"SKETCH OF REFERENCE TIES"
(not to scale - bearings are magnetic)

Ties are measured to center of monument unless otherwise noted.

UNITS = Metric English

UTM COORDINATES, ZONE 15

Northing: 17209096.050

Easting: 1289488.990

NAD 83/1996 Adjustment.
Obtained by RTK GPS observations.


I hereby certify that this survey, plan, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota.

Ross Wamre
signature

7/8/13
date

Ross Wamre, Minnesota License No. 45334

Page 1 of 3 A000601406





STATEMENT OF EVIDENCE: Corner common to Sections 24 and 25 of Township 145 North, Range 30 West and Sections 19 and 30 of Township 145 North, Range 29 West of the 5th Principal Meridian

1874; This corner was originally established by P.H. Conger for the GLO. His field notes indicate a wood post set at this corner position, witnessed by:

Norway Pine 18" North 25° East, 9 links
Norway Pine 14" North 36° West, 48 links
Norway Pine 12" South 87° West, 23 links
Norway Pine 24" South 54° East, 94 links

1900; U.S. Army Corps of Engineers recovered this corner according to Township 145 N Range 28 W flowage map for the Lake Winnibigoshish Reservoir. Map is on file at the USFS office in Cass Lake, MN.

1933; Resurvey by GLO, Willis W. Bandy, as determined from the remains of original bearing trees set a brass tablet, 3 ½" diameter, 3" stem, in a cylindrical concrete monument, 2' long, 6" diameter, 21" in the ground. Witnessed by:

1874 Norway Pine 20" North 25° East, 9 links - mkd. T145N R29W S19 BT
1874 Norway Pine 14" South 87° West, 23 links - mkd. T145N R30W S25 BT
1874 Norway Pine 18" North 36° West, 48 links - mkd. T145N R30W S24 BT

New BT

Norway Pine 5" South 9 ½° East, 44 links - mkd. T145N R29W S30 BT

1937; Harold Hennes, USFS, 874 forms, found a brass capped monument set in cement 2" above ground in place. Information on file with the USFS office in Cass Lake.

1994; Curtis Krause and Pete Moberg, USFS Book 1 of Township 145 North, Range 30 West, page 9, found concrete cylinder, 1" above ground in place, in Norway Pine N-E-S and hardwoods SW. Evidenced by three recovered original BTs all Norway Pine stubs with visible scribing.

1874 Norway Pine 20" North 25° East, 5.94 ft. (9 links) orig. scribe & GLO scribe visible
1874 Norway Pine 14" South 87° West, 15.18 ft. (9 links) orig. scribe & GLO scribe visible
1874 Norway Pine 18" North 36° West, 31.68 ft. (9 links) orig. scribe & GLO scribe visible

New BT

N. Pine 9" North 12° East, 23.64 ft. - mkd. S 19 BT
N. Pine 10" North 54° East, 34.53 ft. - mkd. S 19 BT
N. Pine 11" South 39° East, 24.95 ft. - mkd. S 30 BT
N. Pine 12" North 32° West, 15.20 ft. - mkd. S 30 BT
8' Steel Sign Due South 3.45 ft.

2010; A Kadrmaz, Lee & Jackson survey crew found a 6" concrete monument with a 3.5" Brass cap standard GLO monument in place, stamped 1933, flush with ground. Witnesses found and established as shown on the face of this certificate.



2012; Ross Wamre, RLS #45334, after analysis of record and survey information accepts this monument as the correct perpetuation of the corner.

Contacts pertaining to this corner are as follows:

Cass County Recorder's Office

Cass County Engineers Office

Cass County Surveyors Office

Northern Engineering and Consulting Inc.

United States Forest Service

MnDOT – District Office 2

Bureau of Indians Affairs – Bemidji

Bureau of Land Management's (BLM) Northeastern States Field Office