

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____

= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed: _____
Monument: _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed: _____
Monument: _____

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____
Location filed:
Monument:


Year of search _____ By _____
Location filed:
Monument:

EXCAVATION

Index No. J 13

CASS COUNTY LAND CORNER RECORD

T. 135 R. 30 M. 5TH Coordinates: X _____ Y _____
NE 16 Corner common to sections 9, 10, 15, 16



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1869
Original monument POST

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing	Trees	Distance
<u>ASPEN</u>	<u>ELM</u>	<u>BIRCH</u>	<u>ASPEN</u>
Diameter <u>10"</u>	<u>5"</u>	<u>8"</u>	<u>2"</u>
Bearing <u>N55W</u>	<u>S9W</u>	<u>S55E</u>	<u>N27E</u>
Distance <u>67 LKS.</u>	<u>58 LKS</u>	<u>73 LKS.</u>	<u>95 LKS.</u>

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed E - By SURVY OF S.R. HWY 80
Location filed COUNTY BOOK B" P. 472-473
Monument STAKE
1920, LINCOLN MARKET, COUNTY BOOK "C" P375 FND NE, SE AND NW 8, 15 SET CORNER.

Evidence of Subsequent Corner Restoration

Year of search Jul 2003 By C.C.S.O
Found PK nail, flush, on E Co. Rd. #1, on fence line to West.

June 1913, Twp rd order shows no survey

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>Aspen</u>	<u>12"</u>	<u>N45°W</u>	<u>127.51'</u>
<u>SE CHR. Elec. Cab</u>	<u>Box</u>	<u>N57°W</u>	<u>62.34'</u>
<u>Aspen</u>	<u>11"</u>	<u>N85°W</u>	<u>100.97'</u>
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search Aug 1912 By _____
Twp rd order shows no survey

Remonumentation certificate prepared _____
Filed at _____

By _____
Date _____