

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____

= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed: _____
Monument: _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed: _____
Monument: _____

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____

Year of search _____ By _____

Location filed: _____

Location filed: _____

Monument: _____

Monument: _____

EXCAVATION

Certificate of Location of Government Corner filed in Cass County

By _____


Recorders Office as Document _____

Date _____

Index No. R13

CASS COUNTY LAND CORNER RECORD

T. 135 R. 30 M. 5TH Coordinates: X _____ Y _____
NE 28 Corner common to sections R1, R2, R7, R8



EXISTING SURVEYS

Original Government Survey
Year surveyed 1869
Original monument POST

Original Evidence Found
Year of search _____ By _____
Monument found _____

	Bearing	Trees	
Species	<u>BIRCH</u>	<u>SPRUCE</u>	<u>PINE TAM</u>
Diameter	<u>8"</u>	<u>6"</u>	<u>4" 10"</u>
Bearing	<u>SSW</u>	<u>NSR W</u>	<u>NS3E 579E</u>
Distance	<u>13 LKS</u>	<u>8 LKS</u>	<u>15 LKS. 26 LKS.</u>

Original Bearing Trees Found
Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration
Year surveyed 1915 By JOHN CURO
Location filed COUNTY SURVEY RECORD BOOK "B" P57-61
Monument FIND 4" STAKE SET BY MOULSTRE.
SURVEY OF STATE RURAL HWY #80 BOOK "B" P472-473
SHOWS - STAKE
1925-SCHULTZ - BOOK "D" P167 FIND OLD CAR POST IN ROAD
SET SHORT PIECE OF PIPE OVER POST
Bearing Trees, Reference Objects
Species _____
Diameter _____
Bearing _____
Distance _____

Evidence of Subsequent Corner Restoration
Year of search _____ By _____
← 1915 - also on microfilm - roll 115 BX94 P. 138
Aug. 1912, Twp rd order shows no survey
Bearing Trees, Reference Objects

Subsequent Corner Restoration
Year surveyed 1914 By _____
Location filed _____
Monument CO DITCH SURVEY BIT 22 BOX 3
OF CO DITCH SURVEY BOOKS, PG 25
April 2004 R. Quale #42630
Cert. of Sur. Shows mon. found

Evidence of Subsequent Corner Restoration Found
Year of search 6/25/03 By CCSB
Fd PK nail on 9 & 9 co. rd #1 and co. rd #107
4" J. Pine N 48° W 77.36 dbl hd. nail
Tele pole post N 48° E 68.88' dbl hd. nail
P-pole S 85° E 199.78' dbl hd. nail
PK Nail S. End 18" cpl S 65° W 46.91'
Oct. 1903 W. H. Hallett
Twp rd order shows survey