

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found


Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

Index No. E 9

CASS COUNTY LAND CORNER RECORD

T. 136 R. 29 M. 5TH Coordinates: X NE 8 Y 4, 5, 8, 9
Corner common to sections



EXISTING SURVEYS

Original Government Survey
 Year surveyed 1870
 Original monument POST

| Species | Bearing | Trees | | |
|-----------------|-----------------|---------------|----------------|--|
| <u>W. BIRCH</u> | <u>W. BIRCH</u> | <u>TAM</u> | <u>TAM</u> | |
| <u>8"</u> | <u>7"</u> | <u>6"</u> | <u>7"</u> | |
| <u>S 13 W</u> | <u>S 34 E</u> | <u>N 18 W</u> | <u>N 72 E</u> | |
| <u>21 LKS.</u> | <u>35 LKS</u> | <u>12 LKS</u> | <u>15 LKS.</u> | |

Original Evidence Found
 Year of search _____ By _____
 Monument found _____

Original Bearing Trees Found
 Species _____
 Diameter _____
 Bearing _____
 Distance _____

Subsequent Corner Restoration
 Year surveyed 1976 By John Curo
 Location filed COUNTY RESURVEY "E-21"
 Monument IRON MONUMENT
1918, J.H. FLYNN, COUNTY RESURVEY "E-22"
2 1/2 x 4 8" IRON MONUMENT
1918 - COUNTY BOOK "C", J.H. FLYNN P. 138 END I.M.

Bearing Trees, Reference Objects

Evidence of Subsequent Corner Restoration
 Year of search 1917 By E. B. HURST
COUNTY BOOK "C" P. 148 END I.M.
1916 - JOHN POMASEC, BOOK "C" P. 230 END I.M.
also on microfilm - roll 105 BK 62 P. 40

Bearing Trees, Reference Objects

| N. PINE STUMP | N. PINE |
|-------------------|------------------|
| <u>20"</u> | <u>15"</u> |
| <u>S 29 35 E</u> | <u>N 34 05 E</u> |
| <u>64'</u> | <u>97.8'</u> |
| <u>1916 TIES.</u> | |

Species _____
 Diameter _____
 Bearing _____
 Distance _____

Subsequent Corner Restoration
 Year surveyed 1916 By E.F. Wilson
 Location filed microfilm - roll 115 BK 76 P. 18
 Monument Set corner from witnesses:
Pine stump N 32 E 184 =
Pine stump S 35 E 97 =

August 1903
Twip Road Order shows no survey

June 1911 Witt Luffman
Twip Road order shows survey

Sept 1904
Twip Road order shows no survey

Evidence of Subsequent Corner Restoration Found
 Year of search _____ By _____