

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found


Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

Index No. R3

CASS COUNTY LAND CORNER RECORD

T. 136 R. 31 M. 5TH Coordinates: X _____ Y _____
N1430 Corner common to sections 19,30



EXISTING SURVEYS

Original Government Survey

Original Evidence Found

Year surveyed 1870
Original monument Post

Year of search _____ By _____
Monument found _____

Bearing Trees

Original Bearing Trees Found

Species W. BIRCH W. BIRCH _____
Diameter 10" 8" _____
Bearing S63W N70E _____
Distance 35 LKS 30 LKS _____

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration

Year surveyed 1916 By JOHN LURD
Location filed COUNTY SURVEY RECORD BOOK "B" P. 255-257
Monument SET POST PROPORTIONALLY STAKES - "R P"
NE, NW, SE, SW 46.70'

Year of search 1998 By Landecker & Assoc
Certificate of survey indicates
monument found.

also on micro film - roll 105 BK 67 P. 40

Bearing Trees, Reference Objects

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

R-3

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed 5/99 By CCSO
Location filed CCSO
Monument CLM down 0.1' in E Co. Rd. #24,
36"± West of fence line North.

Year of search _____ By _____

12" W. Oak, N 9° W, 145.85 *
12" Aspen, S 43° E, 114.23 *
10" Aspen, S 8° W, 102.97 *

* distance to 60d spike
- corner GPS 10/10/02 CCSO
Alum cap, down 0.1, on E #24

Re monumentation certificate prepared _____
Filed at _____

By _____
Date _____