R M Coord					
Corner common to section	IS				
	EXIS	STING SURVEYS]	
Original Government Sur	vey	Original Evidence F	Found		
Year surveyed		Year of search	by		
Original monument		Monument found			
				= Corner	
Bearing Trees			Original Bearing T	rees Found	
Species			·	· · ·	
Diameter					
Bearing		Bearing Distance			
Distance			·		
Subsequent Corner Restor	ration	Evi	dence of Subsequent (Corner Restoration	
Location filed:		Location filed:			
Monument:		Monument:			
	onen en Obiente		Decrimen Tree	Deference Objects	
Bearing Trees, Refo		Species		es, Reference Objects	
Diamotor		Diamotor			
		Bearing			
Distanco		Distance			
Subsequent Corner Restor	ration	Eviden	Evidence of Subsequent Corner Restoration Found		
Year surveyed By		Year of search	Ву		
Location filed:		Location filed:			
Monument:		Monument:			

dex No CASS COUNTY LAND CORNER RECORD					
R M Coordinates: X	Y	Page of			
Corner common to sections					
Subsequent Corner Restoration	Evidence of	Subsequent Corner Restoration Found			
ear surveyed By	Year of search				
ocation filed:	Location filed:				
Ionument:	Monument:				

Index No. <u><i>R9</i></u> CASS COUNTY LAND	CORNER RECORD	Γ <u>ι</u> ττ φ			
T. 136 R.31 M. 5TH Coordinates: X NE 29 Corner common to sections 20, 21, 20,	Y 79	}+++			
Corner common to sections <u>AVAAIAVAA</u>					
	SURVEYS				
Original Government Survey	Original Evidence Found				
Year surveyed 1870	Year of searchBy				
Original monument Borgy 4" BIRCH TREE	Monument found				
	Olisiash Dessing Tassa Frind	O = Corner			
Species ULBIRCH BIRCH WIBIRCH BALSAM	Original Bearing Trees Found				
Diamater 7" 7" 6" 3"	Diameter				
Bearing NOVIZW SZAE NXYIZE	Bearing				
Distance 13 LKS 6 LKS 17 LKS 11 LKS	Distance				
Subsequent Corner Restoration	Evidence of Subsequen	CCSO			
Year surveyed <u>1916</u> By John Curo Location filed County Survey Record Book B" P 247-257	Evidence of Subsequent Corner Restoration. Year of search 1999 By CC50 Set P.K. from Hwy. into. Eties. Located & of				
MODUMENT FUD GLO GOUT BIT STUMP: 3"BALSAM NRY-30	CSAH 34. Fence runs SAE to the south and N+W to the North. (see pict. in field notes)				
Monument Firs and 2 and stakes - Set hub	N+W to the North. (see pict	. in field notes)			
also on microfilm -voll 105 BK67 P.11, 38					
		and Objects (old hwy fie)			
Bearing Trees, Reference Objects	W. Oak W. Oak	nce Objects (Dia nuy ne)			
Species MAPLE WOAK	B" B"	W. Oak R. Oak			
Diameter 7 * Bearing 536= 536=30W		59°W 545°W			
Distance 48.70' 41.00'	94.68' 84.22'				
	·Birch Snag (old huy tie)				
	" Coistance checked out "	Inaks			
Subsequent Corner Restoration Year surveyed By Location filed Monument = Corner CoRS 10/10/02 CCSO	Evidence of Subsequent Corr Year of search				
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
Remonumentation certificate prepared	Ву				
Filed at	Date				