	common to sections	Y
October	EXIS	STING SURVEYS Original Evidence Found
Origin	al Government Survey	Original Evidence Found
Year surveyed		Year of search by
Original monument		Monument found : : : : : : : : : : : : : : : : : : :
	Bearing Trees	Original Bearing Trees Found
Species	-	Occasion
Diameter		Diameter
Pooring .		- Desting
Distance		Dictance
Subsec	uent Corner Restoration	Evidence of Subsequent Corner Restoration
Year surveyed	Ву	Year of search By
Location filed:		Location filed:
Monument:		Monument:
	D . T . D	
Oi	Bearing Trees, Reference Objects	Bearing Trees, Reference Objects
		Species
Danis s		Diameter
Bearing Distance		Bearing Distance
Distance		
Subsec	uent Corner Restoration	Evidence of Subsequent Corner Restoration Found
Year surveyed	Ву	Year of search By
Location filed:		Location filed:
Monument:		Monument:

ndex No CASS COUNTY LAND CORNER RECORD					
R	M. Coordinates: X	Y	of		
	M Coordinates: X Corner common to sections				
	Subsequent Corner Restoration	II Evidence of	Subsequent Corner Restoration Found		
Year surveyed	By	Year of search			
Location filed:		Location filed:			
Monument:		Monument:			
	tion of Government Corner filed in Cass County	Ву			
Recorders Office a	as Document	Date			

Index No. R 25 CASS COUNTY LAND	CORNER RECORD	T T T
_		
T. 136 R. 32 M. 57H Coordinates: X NE 25 Corner common to sections 24,25 two	Y	h+
NE KJ Corner common to sections K1/KJ AND	11,30-136-31	55
EXISTING	SURVEYS	23
Original Government Survey	Original Evidence Found	
Year surveyed 1658	Year of searchBy	
Original monument Post	Monument found	
	Original Bearing Trees Found	O = Corner
Species Server w. Birch Aspon Balsam	Species	
Diameter 19" 12" 10" 7"	Diameter	
Bearing N 33 146 N 1012W 360 19W 3 128	Bearing	
Distance 12 LK5 24 CKS 19 CKS 34 CKS	Distance	
Cohenna Conne Dandardia	Evidence of Subsequen	Corner Restoration
Subsequent Corner Restoration Year surveyed 1916 By John Coro By dwm	Year of search 1999 By	USO
Location filed GUNTY SURVEY RECORD BOOK'S' P.255-257	Find inpl. Alum cap	Dipe dwn. 0.2'
Manumont SET HUA PRODUCTIONALLY	in bit, Located 0.5 N	of & 24 & 5 E at
1928, JOHN GREENE, COUNTY RESURVEYPLAT E-68" I.M.	\$ 109. All ties were trid. "	B.T. togs iset by
	RLS 21367.	
1916-also on microfilm-roll 105 BK67 P.37		Asia-sa
Bearing Trees, Reference Objects Species Stan Buara OAK	W. Oak Trans. pole	P. Pole Fe. COR.
Diameter 8'	ll /8' _	
Bearing N32E N33W	NZ9°W NZ9°E	34°E 543°W
Distance 43:00' 213, 60'	215.03' 93.33'	236.65' 71.51'
1916 tres	* dist to God spk.	
Subsequent Corner Restoration	Fuldance of Subsequent Co.	B 11 - E - 1
Year surveyed By	Evidence of Subsequent Cor	
Location filed	Year of search By	
Monument - Corner GPS 10/10/02 CCSC		
Alua cop, down Oil, on & # H, 2' = E.		
OF 2 #109		
	· · · · · · · · · · · · · · · · · · ·	
