

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____


Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

T. 137 R. 30 M. 5TH Coordinates: X _____ Y _____
NE 36 Corner common to sections 25, 36 AND 30, 31-137-29



EXISTING SURVEYS

Original Government Survey

Year surveyed 1865

Original monument POST

Bearing Trees

Species DEAD W. PINE W. PINE

Diameter 26" 26"

Bearing S 71 1/4 W S 53 3/4 E

Distance 35 LKS 20 1/2 LKS

Original Evidence Found

Year of search _____ By _____

Monument found _____

Original Bearing Trees Found

Species _____

Diameter _____

Bearing _____

Distance _____

Subsequent Corner Restoration

Year surveyed 1910 By JOHN CURD

Location filed COUNTY SURVEY RECORD BOOK "A" P. 318-328

Monument FIND BOTT OLD CORN B.T.S: 26" DEAD PINE
S 77-15 W 23.1', 36" W. PINE S 53-45 E 134.6'
SET 8X8 X 36" CEMENT POST.

Evidence of Subsequent Corner Restoration

Year of search 1914 By John Curd

microfilm - roll 115 BK 93 P. 108

Fnd 8X8X36" stone

Bearing Trees, Reference Objects

Species _____

Diameter _____

Bearing _____

Distance _____

Bearing Trees, Reference Objects

Subsequent Corner Restoration V-25

Year surveyed 1917 By _____

Location filed _____

Monument Co. DITCH SURVEY BK (9) BOX 3
OF COUNTY DITCH SURVEY BOOKS, PG 1

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

CERTIFICATE - A. R. TAUBMAN - ASST HWY ENGINEER - MDT

Set concrete monument 4"x4" top, 6"x6"
base, 18" long. Ties: 4" concrete monument
S. 52° 30' E 46.67'; 4" concrete monument
S. 37° 30' W 46.67'

1914 Co. DITCH SURVEY BK 22 BOX 3
OF Co. DITCH SURVEY BOOKS, PG 66

9/2000 CCSO crew witnessed P.K.
as follows:

Fence Cor. S 57° W, 58.30' 1 1/2" nail
P. Pole N 51° W, 60.21' *
Tel. Rod. S 40° E, 82.97' Tac disc
8" J. Pine N 55° E, 125.11' *

* denotes double head nail

7/98 B. Grinna set PK from found
BT tags 2.5' N. of 2 2

9/98 CCSO crew found P.K. nail
at 2 2 CSAH #1 and Co. Rd. #115.