

Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Corner common to sections \_\_\_\_\_


= Corner

EXISTING SURVEYS

Original Government Survey

Original Evidence Found

Year surveyed \_\_\_\_\_

Year of search \_\_\_\_\_ by \_\_\_\_\_

Original monument \_\_\_\_\_

Monument found \_\_\_\_\_

Bearing Trees

Original Bearing Trees Found

Species \_\_\_\_\_

Species \_\_\_\_\_

Diameter \_\_\_\_\_

Diameter \_\_\_\_\_

Bearing \_\_\_\_\_

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Distance \_\_\_\_\_

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_

Year of search \_\_\_\_\_ By \_\_\_\_\_

Location filed: \_\_\_\_\_

Location filed: \_\_\_\_\_

Monument: \_\_\_\_\_

Monument: \_\_\_\_\_

Bearing Trees, Reference Objects

Bearing Trees, Reference Objects

Species \_\_\_\_\_

Species \_\_\_\_\_

Diameter \_\_\_\_\_

Diameter \_\_\_\_\_

Bearing \_\_\_\_\_

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Distance \_\_\_\_\_

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed \_\_\_\_\_ By \_\_\_\_\_

Year of search \_\_\_\_\_ By \_\_\_\_\_

Location filed: \_\_\_\_\_

Location filed: \_\_\_\_\_

Monument: \_\_\_\_\_

Monument: \_\_\_\_\_

Certificate of Location of Government Corner filed in Cass County

By \_\_\_\_\_

Recorders Office as Document \_\_\_\_\_

Date \_\_\_\_\_

Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_

Corner common to sections \_\_\_\_\_

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed \_\_\_\_\_ By \_\_\_\_\_

Year of search \_\_\_\_\_ By \_\_\_\_\_

Location filed: \_\_\_\_\_

Location filed: \_\_\_\_\_

Monument: \_\_\_\_\_

Monument: \_\_\_\_\_

EXCAVATION

Certificate of Location of Government Corner filed in Cass County

By \_\_\_\_\_


Recorders Office as Document \_\_\_\_\_

Date \_\_\_\_\_

Index No. Z 21

CASS COUNTY LAND CORNER RECORD

T. 137 R. 30 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
SE 35 Corner common to sections 35,36



EXISTING SURVEYS

Original Government Survey

Year surveyed 1858  
Original monument Post

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

Species	<u>PINE</u>	Bearing Trees	<u>W. BIRCH</u>
Diameter	<u>12"</u>		<u>14"</u>
Bearing	<u>N 2 1/2 E</u>		<u>N 33 1/2 W</u>
Distance	<u>50 LKS</u>		<u>31 LKS</u>

Original Bearing Trees Found

Species	_____
Diameter	_____
Bearing	_____
Distance	_____

O = Corner

Subsequent Corner Restoration

Year surveyed 1911 By A.W. MOVLSTER.  
Location filed COUNTY BOOK "B" P 258-264  
Monument ENO 8x8x36" CONCRETE POST SET BY CURRO FROM PINE BIT. - also on microfilm roll 1105 BK 49 P. 106 SURVEY OF STATE RURAL HWY 80 BOOK "B" P. 474-475 CONCRETE MONUMENT

Evidence of Subsequent Corner Restoration

Year of search 1917 By E. B. HAEST  
COUNTY BOOK "B" P 565 ENO 8x8 CONCRETE POST  
also on microfilm - roll 1105 BK 62 P 88  
1977 - Co Hwy Dept - R. F. Schneider - Co RD # 28  
Corner position from road stationing

Bearing Trees, Reference Objects

Species	_____
Diameter	_____
Bearing	_____
Distance	_____

Bearing Trees, Reference Objects

1917 - also on microfilm - roll 115 BK 90 P. 64

2-21

Subsequent Corner Restoration

Year surveyed 1910 By CURRO  
Location filed microfilm - roll 115 BK 91 P. 27  
Monument Set corner from pine bit.

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_

Remonumentation certificate prepared \_\_\_\_\_

By \_\_\_\_\_

Filed at \_\_\_\_\_

Date \_\_\_\_\_