


Index No. N 7

CASS COUNTY LAND CORNER RECORD

T. 138 R. 29 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
N 14 20 Corner common to sections 17, 20



EXISTING SURVEYS

**Original Government Survey**  
 Year surveyed 1865  
 Original monument POST

Species	Bearing	Trees
<u>BL. PINE</u>	<u>BL. PINE</u>	
<u>8"</u>	<u>9"</u>	
<u>S50E</u>	<u>N42W</u>	
<u>17 LKS</u>	<u>30 LKS</u>	

**Original Evidence Found**  
 Year of search \_\_\_\_\_ By \_\_\_\_\_  
 Monument found \_\_\_\_\_

**Original Bearing Trees Found**

Species	Bearing	Distance
_____	_____	_____
_____	_____	_____
_____	_____	_____

**Subsequent Corner Restoration**  
 Year surveyed 1911 By A.W. MEULSTER  
 Location filed COUNTY SURVEY RECORD BOOK "A" P. 523-527  
 Monument FIND OLD GOVT. BT: 8" BL. PINE S50E 17 LKS  
SET 2x48" GALV. I.P. IN CONCRETE  
also on microfilm - roll 105 BK 50 P. 35, 52

**Evidence of Subsequent Corner Restoration**  
 Year of search 3-24-04 By D. Landecker #17008  
CCRO # A000483455  
1" iron pipe with plastic cap stamped RLS  
#17008  
There is a question on the bearing tree info ->  
See Cert. of Loc.

**Bearing Trees, Reference Objects**

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

**Bearing Trees, Reference Objects**

Species	Diameter	Bearing	Distance
<u>J. PINE</u>	<u>14"</u>	<u>N24°W</u>	<u>7.60'</u>
<u>RED OAK</u>	<u>14"</u>	<u>S23°W</u>	<u>36.36</u>
<u>J. PINE</u>	<u>14"</u>	<u>S68°E</u>	<u>67.50'</u>

**Subsequent Corner Restoration**  
 Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
 Location filed \_\_\_\_\_  
 Monument \_\_\_\_\_

**Evidence of Subsequent Corner Restoration Found**  
 Year of search \_\_\_\_\_ By \_\_\_\_\_

Remuneration certificate prepared \_\_\_\_\_ By \_\_\_\_\_  
 Filed at \_\_\_\_\_ Date \_\_\_\_\_