

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found


Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

Index No. A7

CASS COUNTY LAND CORNER RECORD

T. 139 R. 30 M. 5TH Coordinates: X _____ Y _____
N114 5 Corner common to sections 5 AND 32-140-30



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1865
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing	Trees
<u>TAM.</u>	<u>TAM</u>	
<u>Diameter 12"</u>	<u>6"</u>	
<u>Bearing N6E</u>	<u>S22W</u>	
<u>Distance 14 LKS</u>	<u>8 LKS</u>	

Original Bearing Trees Found	Species	Diameter	Bearing	Distance
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1903 By John Curro, M.A. Kemp
Location filed County Book 8 p 399-401
Monument FNO Curro's STAKE SET 2x4 8" 1 1/2" w/cap

Evidence of Subsequent Corner Restoration

Year of search 1972 By CO Hwy Dept
Co RD # 45
1" 1 1/2" in place

Bearing Trees, Reference Objects

Species	Bearing	Distance
<u>SPRUCE</u>	<u>TAM STUMP</u>	
<u>Diameter 4"</u>	<u>15"</u>	
<u>Bearing SW</u>	<u>NW</u>	
<u>Distance 63.35'</u>	<u>35.00'</u>	

Bearing Trees, Reference Objects

Species	Bearing	Distance
_____	_____	_____
_____	_____	_____
_____	_____	_____

A7

Subsequent Corner Restoration

Year surveyed 1924 By Minn Hwy Dept
Location filed R/W map in Recorder's office
Monument lothrop to Pine River
Asst in hub over 1 1/2" w/cap 173.5' W of C

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Certificate - Jim Nielson - Minn DOT - 1983
Doc # 267939

March 2004 S. DeLeo # 40341
Cert. of Sur. shows cast iron mon found

<u>7" Tamarack</u>	<u>N67°E</u>	<u>53.79</u>	<u>Nailed Disk</u>
<u>8" J. Pine</u>	<u>ESE</u>	<u>94.40</u>	<u>NED</u>
<u>16" J. Pine</u>	<u>SSE</u>	<u>104.55</u>	<u>NED</u>
<u>12" Tamarack</u>	<u>WSW</u>	<u>79.06</u>	<u>NED</u>

1/1999 CCSO Crew found CIM
and added the following:

<u>10" Bot G.</u>	<u>N12°W</u>	<u>17.28'</u>	<u>*</u>
<u>8" Aspen</u>	<u>S66°E</u>	<u>44.60'</u>	<u>*</u>
<u>8" Elm</u>	<u>S12°W</u>	<u>25.48'</u>	<u>*</u>

* distance to dbl head nail

Nov. 2002 J. Nielson # 11865
Cert of Sur. shows Mon. found

Feb. 2004 S. DeLeo # 40341
Cert. of Sur. shows cast iron mon.

Remonumentation certificate prepared _____

By _____

Filed at _____

Date _____