


Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found


Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

Index No. A 9

CASS COUNTY LAND CORNER RECORD

T. 140 R. 27 M. 5TH Coordinates: X _____ Y _____
NE 5 Corner common to sections 4, 5



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1873
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing	Trees
<u>CEDAR</u>	<u>CEDAR</u>	
<u>6"</u>	<u>12"</u>	
<u>S16E</u>	<u>S87W</u>	
<u>13 LKS</u>	<u>40 LKS</u>	

Species	Bearing	Trees
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1913 By Harvey S. Todd
Location filed County Survey Record Book A' 1567-570
Monument Set 6" stake in 10" Poplar stump

Evidence of Subsequent Corner Restoration

Year of search 1938 By CCC
Mushburn Lake - BK#5 P. 58
at 4839' from west - iron post with stake scribed
CCC

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

Remonumentation certificate prepared _____ By _____
Filed at _____ Date _____