


Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Corner common to sections \_\_\_\_\_



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed \_\_\_\_\_  
Original monument \_\_\_\_\_

Original Evidence Found

Year of search \_\_\_\_\_ by \_\_\_\_\_  
Monument found \_\_\_\_\_

Bearing Trees

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Original Bearing Trees Found

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Evidence of Subsequent Corner Restoration

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Bearing Trees, Reference Objects

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Bearing Trees, Reference Objects

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Remonumentation certificate prepared \_\_\_\_\_

By \_\_\_\_\_

Filed at \_\_\_\_\_

Date \_\_\_\_\_

Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_

Corner common to sections \_\_\_\_\_


Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

T. 140 R. 27 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
NE 12 Corner common to sections 1, 12 AND 6, 7-140-26



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1863  
Original monument \_\_\_\_\_

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

	Bearing Trees			
Species	<u>MAPLE</u>	<u>BL. OAK</u>	<u>BL. OAK</u>	<u>ASPEN</u>
Diameter	<u>8"</u>	<u>8"</u>	<u>7"</u>	<u>12"</u>
Bearing	<u>N17E</u>	<u>S46E</u>	<u>S87W</u>	<u>N16W</u>
Distance	<u>22 LKS</u>	<u>17 LKS</u>	<u>32 LKS</u>	<u>35 LKS</u>

Original Bearing Trees Found

Species	_____	_____	_____	_____
Diameter	_____	_____	_____	_____
Bearing	_____	_____	_____	_____
Distance	_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1910 By JOHN CURD  
 Location filed COUNTY SURVEY RECORD BOOK "A" P 308-312  
 Monument SET 4x4x48" POST PROPORTIONALLY  
IN 1911 SET 2 1/2 x 48" I.P. IN CONCRETE  
also micro-film Roll 105 BK 48 P. 51  
Roll 105 BK 50 P. 143  
Roll 113 BK 96 P. 10, 38  
 Bearing Trees, Reference Objects  
 Species BIRCH BIRCH  
 Diameter 2 1/2" 4"  
 Bearing S40-34E S46-40W  
 Distance 24.35' 58.00'

Evidence of Subsequent Corner Restoration

Year of search 1873 By GLD (SUBDIVISION)  
DID NOT FIND CORNER OF 1863 SET FEM RUNNING  
LINE SOUTH FROM M.C. 23.80' NORTH.

Bearing Trees, Reference Objects

<u>BR. OAK</u>	<u>BR. OAK</u>	<u>N. PINE</u>	<u>ASPEN</u>
<u>5"</u>	<u>5"</u>	<u>24"</u>	<u>10"</u>
<u>S7W</u>	<u>S76-15E</u>	<u>N72-20W</u>	<u>N41-30E</u>
<u>19 LKS</u>	<u>28 LKS</u>	<u>71 LKS</u>	<u>65 LKS</u>

Subsequent Corner Restoration

Year surveyed 1937 By CCC  
 Location filed Washburn Lake - BK # 5 P. 92  
 Monument at 5280' from west End 2" I.P. w/cap  
10.8' N. OF LINE  
BK # 6 P. 44 Run S. From Iron pipe  
1938 BK # 20 P. 26 at 5146.6' from rest N-S Line  
10.6' SO. of cor 2" I.P. w/cap

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
PLAT - TRELIFE ESTATES FIRST ADDITION  
G. H. STEVENSON 1980 (6) CAST IRON  
CERTIFICATE - R. F. SCHMEIDER - 1976  
Doc # 226339  
Set County cast iron monument 4" dia.  
top x 20" long buried 6" below surface  
of road shoulder. Ties: 7" White Pine  
N 1° 30' W 123.70'; 18" Norway Pine  
S 80° W 197.88'; 5" Oak S 38° 30' E 105.09'  
June 2003 M. Leidecker # 7452  
Certs of Surv. shows mon. found