


Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Corner common to sections \_\_\_\_\_



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed \_\_\_\_\_  
Original monument \_\_\_\_\_

Original Evidence Found

Year of search \_\_\_\_\_ by \_\_\_\_\_  
Monument found \_\_\_\_\_

Bearing Trees

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Original Bearing Trees Found

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Evidence of Subsequent Corner Restoration

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Bearing Trees, Reference Objects

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Bearing Trees, Reference Objects

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_

Corner common to sections \_\_\_\_\_

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed \_\_\_\_\_ By \_\_\_\_\_

Year of search \_\_\_\_\_ By \_\_\_\_\_

Location filed: \_\_\_\_\_

Location filed: \_\_\_\_\_

Monument: \_\_\_\_\_

Monument: \_\_\_\_\_


Certificate of Location of Government Corner filed in Cass County

By \_\_\_\_\_

Recorders Office as Document \_\_\_\_\_

Date \_\_\_\_\_

T. 140 R. 30 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
NE 9 Corner common to sections 3, 4, 9, 10



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1865  
Original monument POST

	Bearing Trees		
Species	<u>N. Pine</u>	<u>Aspen</u>	<u>W. Pine</u>
Diameter	<u>30"</u>	<u>10"</u>	<u>24"</u>
Bearing	<u>N53E</u>	<u>N51 1/2 W</u>	<u>S17 1/2 E</u>
Distance	<u>60 LKS</u>	<u>118 LKS</u>	<u>72 LKS</u>

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

Original Bearing Trees Found

Species			
Diameter			
Bearing			
Distance			

Subsequent Corner Restoration

Year surveyed 1965 By DNR  
Location filed Map & notes in file  
Monument End 3/4" bridge spike 0.3' below surface at P.I. CR 122 N-S & RDE & FENCE W.

	Bearing Trees, Reference Objects		
Species	<u>P.P.</u>	<u>T.P.</u>	<u>Brace pole</u>
Diameter	<u>nail &amp; B.C.</u>	<u>Nail &amp; B.C.</u>	<u>Nail &amp; B.C.</u>
Bearing	<u>NW</u>	<u>SE</u>	<u>SW</u>
Distance	<u>52.10'</u>	<u>32.10'</u>	<u>32.60'</u>

Evidence of Subsequent Corner Restoration

Year of search 1978 By Co. Hwy. Dept.  
Co. Rpt # 122  
3/4" rod in place

	Bearing Trees, Reference Objects					
Species	<u>oak</u>	<u>Birch</u>	<u>oak</u>	<u>oak</u>	<u>Birch</u>	<u>Maple</u>
Diameter	<u>6"</u>	<u>6"</u>	<u>14"</u>	<u>20"</u>	<u>8"</u>	<u>4"</u>
Bearing	<u>NW</u>	<u>NE</u>	<u>SE</u>	<u>SW</u>	<u>WNW</u>	<u>NW</u>
Distance	<u>85.4'</u>	<u>90.9'</u>	<u>70.2'</u>	<u>130.8'</u>	<u>125.3'</u>	<u>106.1'</u>

E-13

Subsequent Corner Restoration

Year surveyed ? By STEVENSON RECORDS  
Location filed \_\_\_\_\_  
Monument 3/4" Rod & RR SPIKE

<u>9" BIRCH</u>	<u>N31°E</u>	<u>81.53</u>
<u>12" R. OAK</u>	<u>S58°E</u>	<u>71.40</u>

Corner GPS CCSO 7/18/02  
CCSO Fed. 2" ODIP

June 2003 M. Handecker # 7452  
Cert. of Sur. Shows Mon. Found

Feb. 2004 J. Leas # 42619  
cert. of Sur. Shows mon. Found

March 2004 J. Leas # 42619  
cert. of Sur. Shows mon. Found

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
PLAT - INDIAN HILLS  
R.F. SCHNEIDER 1971

Remonumentation certificate prepared \_\_\_\_\_

By \_\_\_\_\_

Filed at \_\_\_\_\_

Date \_\_\_\_\_