


Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Original Evidence Found

Year surveyed _____

Year of search _____ by _____

Original monument _____

Monument found _____

Bearing Trees

Original Bearing Trees Found

Species _____

Species _____

Diameter _____

Diameter _____

Bearing _____

Bearing _____

Distance _____

Distance _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration

Year surveyed _____ By _____

Year of search _____ By _____

Location filed: _____

Location filed: _____

Monument: _____

Monument: _____

Bearing Trees, Reference Objects

Bearing Trees, Reference Objects

Species _____

Species _____

Diameter _____

Diameter _____

Bearing _____

Bearing _____

Distance _____

Distance _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____

Year of search _____ By _____

Location filed: _____

Location filed: _____

Monument: _____

Monument: _____

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found


Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

T. 146 R. 31 M. 5th Coordinates: X _____ Y _____

NE 17 1/2 Corner common to sections 8, 9, 16, 17

MC #27



EXISTING SURVEYS

Original Government Survey

Year surveyed 1870
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

	Bearing	Trees
Species	<u>S.PINE</u>	<u>W. PINE</u>
Diameter	<u>6"</u>	<u>14"</u>
Bearing	<u>S34W</u>	<u>N46E</u>
Distance	<u>26 LKS</u>	<u>41 LKS</u>

Original Bearing Trees Found

Species	Diameter	Bearing	Distance

Subsequent Corner Restoration

Year surveyed 1915 By N.A. Gorman
Location filed County Book B P 463-468
Monument Found Iron Set by Guro.
also on microfilm - roll 115 BK 88 P. 4
1917 - John Greene - microfilm - roll 115 BK 87 P 67-68
Start Line N. from F.M.

Evidence of Subsequent Corner Restoration

Year of search 1972 By 101 Hwt Dept.
Co. Rpt # 6
2" I.P. in place (capped)
1984 - Freeman - Olson - Survey Tech - Forester Filed 2"
Capped pipe

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>1914 - John Guro - microfilm - roll 115 BK 93</u>	<u>1.13"</u>	<u>Found I.P.</u>	

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>Ash</u>	<u>10"</u>	<u>N38W</u>	<u>19.90'</u>
<u>Balsam</u>	<u>4"</u>	<u>N4E</u>	<u>28.50'</u>

Land Dept 1984 ties

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
PLAT - HOWE'S WESTSHORE
G. H. STEVENSON 1979
1989 Cert. Filed by David Landscker
Doc. # 317227
Found 2" iron pipe with cap up 28". Ties:
11" Ash N38 W 19.90'; 5" Balsam N4E
28.50'; 7" Ash N86 W 25.28'.

Nov. 1998 T. Freeman #21567
Cert. of Svcs shows Mon. Found

Remonumentation certificate prepared _____

By _____

Filed at _____

Date _____