


T. 141 R. 26 M. 5TH Coordinates: X _____ Y _____
SE 36 Corner common to sections 36 and 31 - 141-25



EXISTING SURVEYS

Original Government Survey

Year surveyed 1863
Original monument POST

Original Evidence Found

Year of search _____ By _____
Monument found _____

Bearing Trees

Species	<u>CEDAR</u>	<u>CEDAR</u>	_____
Diameter	<u>5"</u>	<u>5"</u>	_____
Bearing	<u>N15E</u>	<u>N68W</u>	_____
Distance	<u>38 LKS</u>	<u>11 LKS</u>	_____

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1921 By JAMES FLYNN
Location filed COUNTY RESURVEY 'E-1'
Monument IRON MONUMENT
1921, J. FLYNN, BACK "C" R419. Five Govt. P.I.S. 10" CEDAR
N68W 11"; CEDAR (stump) 12" N15E 38 LKS.

Evidence of Subsequent Corner Restoration

Year of search _____ By _____

Bearing Trees, Reference Objects

Species	<u>W. BIRCH</u>	<u>SPRUCE</u>	_____
Diameter	<u>8"</u>	<u>12"</u>	_____
Bearing	<u>N45W</u>	<u>N48E</u>	_____
Distance	<u>30.6'</u>	<u>25.4'</u>	_____

Bearing Trees, Reference Objects

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - MILO STEFAN - 1978
Doc. # 245631
Set 2" x 60" galvanized steel pipe with
brass cap. Ties: 13" Cedar N46W 82.85';
17" Cedar N21W 96.50'; 21" White Pine
N85E 85.30'.