


T. 141 R. 30 M. 5TH Coordinates: X _____ Y _____
N 1/4 35 Corner common to sections 26, 35



EXISTING SURVEYS

Original Government Survey

Year surveyed 1873
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing	Trees
<u>R. OAK</u>	<u>S 70° E</u>	
Diameter <u>5"</u>	<u>7"</u>	
Bearing <u>S 31° W</u>	<u>N 22 1/2° E</u>	
Distance <u>27.45</u>	<u>46.45</u>	

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

O = Corner

Subsequent Corner Restoration

Year surveyed 1983 By Gary Stevenson
Location filed Corner Certificate
Monument Set 24 3/8" galv. pipe w/ 3" brass cap
at lost position -
Corner is 1.5' E. of 3" W. Oak.

Evidence of Subsequent Corner Restoration

Year of search 1988 By David Landecker
Found 2" monument with brass cap.

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>W. oak</u>	<u>20"</u>	<u>N 16° W</u>	<u>15.65'</u>
<u>W. oak</u>	<u>7"</u>	<u>S 58° E</u>	<u>37.94'</u>
<u>W. oak</u>	<u>5"</u>	<u>S 28° W</u>	<u>11.90'</u>

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>Burr Oak</u>	<u>6"</u>	<u>S 75° W</u>	<u>49.34'</u>
<u>Burr Oak</u>	<u>15"</u>	<u>N 68° W</u>	<u>56.12'</u>
<u>Burr Oak</u>	<u>9"</u>	<u>S 47° E</u>	<u>37.91'</u>

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Certificate - Gary Stevenson - filed by USFS 1984
Doc. # 279152 dated 1983
1989 Certificate - David Landecker
Doc. # 309849