


T. 142 R. 26 M. 5TH Coordinates: X _____ Y _____
NE 2 Corner common to sections 1, 2 AND 35, 36 - 143 - 26



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1872
Original monument POST

Original Evidence Found

Year of search _____ By _____
Monument found _____

Bearing Trees

Species	<u>SPRUCE</u>	<u>TAM.</u>	<u>FIR</u>	<u>FIR</u>
Diameter	<u>6"</u>	<u>10"</u>	<u>12"</u>	<u>9"</u>
Bearing	<u>S72E</u>	<u>S25W</u>	<u>N33W</u>	<u>N30E</u>
Distance	<u>13 LKS</u>	<u>7 LKS</u>	<u>21 LKS</u>	<u>17 LKS</u>

Original Bearing Trees Found

Species	_____	_____	_____	_____
Diameter	_____	_____	_____	_____
Bearing	_____	_____	_____	_____
Distance	_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1990 By Wm. OSUFSEN
Location filed _____
Monument 4.2" x 6.0" DR/CAP

Evidence of Subsequent Corner Restoration

Year of search _____ By _____

STEEL SIGN POST'S 6.3 NORTH AND 6.1 EAST

Bearing Trees, Reference Objects

Species	<u>BIRCH</u>	<u>BIRCH</u>	<u>BASSWOOD</u>	<u>BIRCH</u>
Diameter	<u>10"</u>	<u>6"</u>	<u>5"</u>	<u>6"</u>
Bearing	<u>N55W</u>	<u>N32E</u>	<u>S87E</u>	<u>S50W</u>
Distance	<u>22.55</u>	<u>46.56</u>	<u>17.88</u>	<u>19.54</u>

Bearing Trees, Reference Objects

Species	<u>RED OAK</u>	<u>X ON STONE</u>	<u>X ON STONE</u>	<u>X ON STONE</u>
Diameter	<u>12"</u>	<u>3' x 2'</u>	<u>3' x 2 1/2'</u>	<u>1 x 1</u>
Bearing	<u>S66W</u>	<u>N2W</u>	<u>S48E</u>	<u>S35W</u>
Distance	<u>55.23</u>	<u>11.6</u>	<u>16.4</u>	<u>36.7</u>

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - OKERMAN - 1963
CERTIFICATE OSUFSEN 1990
Doc. # 319604