



T. 142 R. 26 N. 5th Coordinates: X _____ Y _____
NE 35 Corner common to sections 25, 26, 35, 36

EXISTING SURVEYS

Original Government Survey

Year surveyed 1872
 Original monument Post

Original Evidence Found

Year of search _____ By _____
 Monument found _____

Species	Bearing Trees			
	W. PINE	W. PINE	W. PINE	W. PINE
Diameter	<u>24"</u>	<u>24"</u>	<u>20"</u>	<u>24"</u>
Bearing	<u>S 84 E</u>	<u>N 43 E</u>	<u>S 7 W</u>	<u>N 36 W</u>
Distance	<u>54 LKS</u>	<u>51 LKS</u>	<u>21 LKS</u>	<u>88 LKS</u>

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

O = Corner

Subsequent Corner Restoration

Year surveyed 1921 By JAMES FLYNN
 Location filed COUNTY BOOK 'E' P. 415
 Monument SET 3/4" x 30" IRON MONUMENT IN 1912
1912 - JAMES FLYNN BOOK 'B' P. 514-515 FARM OLD
GOVT B.T.S: W. PINE STUMP S 84 E 54 LKS, W. PINE
N 43 E 51 LKS, W. PINE S 7 W 21 LKS, W. PINE N 36 W 88
LKS

Evidence of Subsequent Corner Restoration

Year of search 1963 By BILL OKERMAN
FIND IRON SET IN 1921 BY FLYNN - FILED CERTIFICATE
SET 6" ROUND CONCRETE MONUMENT W/ 3" BRONZE
TABLET 6" BELOW ROAD SURFACE

Bearing Trees, Reference Objects

Species COUNTY RESURVEY 1921 "E-2"
 Diameter _____
 Bearing _____
 Distance _____

Bearing Trees, Reference Objects

W. PINE	P.P.	ROCK	ROCK	CEDAR POST
<u>21"</u>	<u>4x2x2'</u>	<u>3x2.5'x1'</u>	<u>4x4x60"</u>	
<u>N 11 E</u>	<u>N 77 W</u>	<u>S 31 W</u>	<u>N 61 E</u>	<u>S 85 E</u>
<u>143.8'</u>	<u>168.8'</u>	<u>37.1'</u>	<u>67.2'</u>	<u>22.0'</u>

↖ W / "X" ↗

V-21

Subsequent Corner Restoration

Year surveyed 1982 By Co Hwy & Surveyor
 Location filed _____
 Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - OKERMAN - 1963

6/2000 CCSD crew found 1/2" Pin
down 0.7', S.S. W. of & C.R. # 52.

Certificate - Walt Curo - 1986
Find R.R. spike over concrete monument

- P. Pole, N W, 262.64' *
- P. Pole, N E, 68.37 *
- 10 Birch, N E, 89.32 nail & Disk
- 8" Birch, S E, 74.77 nail & Disk
- P. Pole, S E, 268.69 *
- 1/2" Rod, S E, 44.23
- X Rock, N 61° E, 67.18

- 28" N. Pine N 10° E 143.67 (old BT.)
- Power Pole N 50° E 58.06'
- 6" Poplar E 15° S 32.55'
- 4" J. Pine S 70° W 75.52'
- Doc. # 291472

8/18/2000 Replace with Alum. cap telspor,
now 30' E. of &.