


T. 142 R. 27 M. 5TH Coordinates: X NE 5 Y 4,5 AND 32,33-143-27  
Corner common to sections



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1873  
Original monument POST

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

	Bearing	Tree	
Species	<u>DEAD SPRUCE</u>	<u>DEAD FIR</u>	<u>ASH</u>
Diameter	<u>8"</u>	<u>6"</u>	<u>10"</u>
Bearing	<u>N11E</u>	<u>N81W</u>	<u>S42E</u>
Distance	<u>118 LKS</u>	<u>13 LKS</u>	<u>73 LKS</u>

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1920 By GLO  
Location filed SEC. OF STATE  
Monument FIND CEDAR POST AND EVIDENCE OF 2 STUMP HOLES OF ORIG. BITS. SET 2 X 36" I.P. W/ BRASS CAP 7143N R 27W 532 533

Evidence of Subsequent Corner Restoration

Year of search 1998 By NLSM RLS #25342  
Found 1920 GLO monument in good condition and Pine stump S65°E, 85.1'. (See Back) (See Doc. #414542)

	Bearing	Tree	Reference Objects
Species	<u>SPRUCE</u>	<u>PINE</u>	<u>TAM. PINE</u>
Diameter	<u>10"</u>	<u>14"</u>	<u>8"</u>
Bearing	<u>N31E</u>	<u>S62 1/4 E</u>	<u>S40 1/2 W</u>
Distance	<u>63 LKS</u>	<u>129 LKS</u>	<u>139 LKS</u>

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>Aspen</u>	<u>4"</u>	<u>N2°E</u>	<u>12.28'</u>
<u>Aspen</u>	<u>4"</u>	<u>N8°W</u>	<u>11.44'</u>
<u>Aspen</u>	<u>4"</u>	<u>S83°E</u>	<u>15.69'</u>
<u>Aspen</u>	<u>4"</u>	<u>S22°W</u>	<u>8.94'</u>

Subsequent Corner Restoration

Year surveyed 1999 By NLSM RLS #16089  
Location filed USFS Cass Lake & CCSO  
Monument Steel pipe w/ brass cap set to correct mistaken GLO perpetuation.

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_

- 2" Ash, N21°E, 11.49'
- 2" Aspen, S14°E, 31.27'
- 3" Aspen, S62°W, 41.54'
- 5" Ash, N52°W, 9.23'
- 1920 GLO Brass Cap S79°W, 335.42'