

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____


Corner common to sections _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:



T. 143 R. 25 M. 5TH Coordinates: X _____ Y _____
NE 15 Corner common to sections 10, 11, 14, 15

EXISTING SURVEYS

Original Government Survey
 Year surveyed 1872
 Original monument POST

Species	Bearing	Distance
<u>SPRUCE</u>	<u>N59E</u>	<u>10LKS</u>
<u>FIR</u>	<u>N87W</u>	<u>25LKS</u>
<u>LINDEN</u>	<u>S40E</u>	<u>8LKS</u>
<u>FIR</u>	<u>S12W</u>	<u>30LKS</u>

Original Evidence Found
 Year of search _____ By _____
 Monument found _____

Original Bearing Trees Found

Species	Bearing	Distance
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

○ = Corner

Subsequent Corner Restoration
 Year surveyed 1913 By John Curo
 Location filed COUNTY SURVEY RECORD BOOK "B" P. 4-11
 Monument FLYNN Set Cor. in 1908 From SEC SW BITS., Kirk Set Sled SHOE - Curo Fnd SLED SHOE i FLYNN'S BITS
ALSO OLD S.W. BIT. SET 2x4x24 DRY OAK STAKE

Species	Bearing	Distance
<u>ELM</u>	<u>S76E</u>	<u>58.74'</u>
<u>DRY W. OAK</u>	<u>N38W</u>	<u>115 LKS</u>
<u>CEDAR STUMP</u>	<u>S50-14W</u>	<u>40.05'</u>
<u>STONE IN S.W. FOUNDATION</u>	<u>N36-45E</u>	<u>81.45'</u>

↑ FLYNN'S 1908 TIES ↓ NEW B.T.S.

Evidence of Subsequent Corner Restoration
 Year of search 1906 By JAMES FLYNN
COUNTY BOOK "C" P. 184 FND OLD GOUT B.T.S:
10" SPRUCE N39E 10 LKS, 6" LINDEN S40E 8 LKS,
10" FIR N87W 25 LKS, 16" FIR S12W 38 LKS
SET POST
1914, FA. DOWNER, BOOK "C" P. 517 FND CORNER - AND
ELM & SCHOOL FOUNDATION TIES (NEW TIE BELOW)

Species	Bearing	Distance
<u>ELM</u>	<u>S76E</u>	<u>59.0'</u>
<u>DRY W. OAK</u>	<u>N38W</u>	<u>76.0'</u>
<u>BALSAM STUMP</u>	<u>40.1'</u>	_____

1908 TIES 1914 TIE

J-17

Subsequent Corner Restoration
 Year surveyed 1976 By BLM
 Location filed SEC. OF STATE
 Monument Fnd 2 1/2 x 48" I.P. IN BRASS CAP T143N R25W
510/511
USFS TIE: 6" OAK SOUTH 88 LKS 515/514
1967
NEW TIES: RLS NO. 6607
2 1/2 x 28" ALUM POST W/CAP N44E 85.2'
2 1/2 x 28" ALUM POST W/CAP N44W 98.0'
1965? Co. Hwy Dept - Co Rd # 65
Found 2" I.P. Sta 662 + 27.2'
1971 - Co Hwy Dept - Co Rd # 74
USGLO Corner 8' N. of & Hwy 65
Poplar - 8" SSE 58.3'
4/5/84 Co. Surveyor, USFS.
dug down 2.5' concrete monument gone
Set USFS magnet from 1976 BLM Reference
Monuments and USFS tie tree south 58.0'
to 20 d nail in Poplar

Evidence of Subsequent Corner Restoration Found
 Year of search _____ By _____
CERTIFICATE - BILL OKERMAN - 1965

1914 (over) also on microfilm - roll 115 BK94 P. 15
 Geo Rapp - no date - microfilm - roll 115 BK92 P. 48
 Fnd old B.T. Elm 12" S46-31E 40.8'

Remonumentation certificate prepared _____
 Filed at _____

By _____
 Date _____