


T. 143 R. 26 M. 57H Coordinates: X _____ Y _____
NE 17 Corner common to sections 8, 9, 16, 17



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1872
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing Trees			
	<u>Spruce</u>	<u>Spruce</u>	<u>Spruce</u>	<u>Spruce</u>
Diameter	<u>4"</u>	<u>4"</u>	<u>4"</u>	<u>4"</u>
Bearing	<u>N76E</u>	<u>N39W</u>	<u>S60W</u>	<u>S43W</u>
Distance	<u>304s</u>	<u>254s</u>	<u>154s</u>	<u>44s</u>

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1922 By GLO
Location filed Sec. of State
Monument Found placed line N-S-E-W (down by
Horace Dunaway) Set 2x36" I.P. w/ Brass Cap

Evidence of Subsequent Corner Restoration

Year of search 1975 By DNR-Engineering
Map & notes in file
Found capped I.P.

143N R26W
S.P. 54
S 1516
1922

Species	Bearing Trees, Reference Objects			
	<u>Spruce</u>	<u>Spruce</u>	<u>Tim</u>	<u>Spruce</u>
Diameter	<u>6"</u>	<u>4"</u>	<u>8"</u>	<u>6"</u>
Bearing	<u>N21-30E</u>	<u>S51-15E</u>	<u>S38-30W</u>	<u>N31-45W</u>
Distance	<u>354s</u>	<u>214s</u>	<u>464s</u>	<u>474s</u>

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

J-9

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - BILL CREAMER - 1968
Found GLO monument in good condition
4" Spruce N49W 14.28'
6" Cedar N83E 48.55'
7" Cedar N42E 19.38'
6" Cedar S57E 31.51'
4"x4"x84" Cedar Post North 3.4'