

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____


Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

T. 143 R. 26 M. 5TH Coordinates: X _____ Y _____
NE 29 Corner common to sections 20, 21, 28, 29



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1872
Original monument POST

Original Evidence Found

Year of search _____ By _____
Monument found _____

Bearing Trees

Species	<u>Birch</u>	<u>Birch</u>	<u>Maple</u>	<u>Maple</u>
Diameter	<u>12"</u>	<u>5"</u>	<u>5"</u>	<u>8"</u>
Bearing	<u>S70W</u>	<u>N7W</u>	<u>N38E</u>	<u>S72E</u>
Distance	<u>14 LKS</u>	<u>30 LKS</u>	<u>30 LKS</u>	<u>10 LKS</u>

Original Bearing Trees Found

Species	_____	_____	_____	_____
Diameter	_____	_____	_____	_____
Bearing	_____	_____	_____	_____
Distance	_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1918 By JAMES FLYNN
Location filed COUNTY SURVEY RECORD BOOK "C" P. 150
Monument FIND OLD GOVT B.T.S. 5" BIRCH N7W 30LKS
12" BIRCH S70W 14 LKS. SET IRON MONUMENT
2 1/2 x 30" w/ CAP
COUNTY RESURVEY 1918 "E-3"

Evidence of Subsequent Corner Restoration

Year of search 1918 By L.B. HEST
COUNTY BOOK "C" P. 163 NEW BEARINGS (MAPLE & FIR)
1916 - HEST - micro film - roll 1105 BK 68 P. 28
End 2 Birch B.T.S. plainly marked
set large cedar post

Bearing Trees, Reference Objects

Species	<u>MAPLE</u>	<u>FIR</u>	_____	_____
Diameter	<u>6"</u>	<u>8"</u>	_____	_____
Bearing	<u>N88.45E</u>	<u>N62W</u>	_____	_____
Distance	<u>29'</u>	<u>30.25'</u>	_____	_____

Bearing Trees, Reference Objects

Species	<u>Maple</u>	<u>w. Pine</u>	<u>Maple</u>	<u>Maple</u>
Diameter	<u>6"</u>	<u>7"</u>	<u>7"</u>	<u>6"</u>
Bearing	<u>N88E</u>	<u>N57W</u>	<u>S87W</u>	<u>S26E</u>
Distance	<u>39.0'</u>	<u>30.5'</u>	<u>39.0'</u>	<u>38.5'</u>

1916 trees

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
1986 Certificate - Ken Whitehorn
Doc # 239677
Set 2 1/2" x 60" galvanized iron pipe
with magnet at base and 3" stamped
brass tablet.
10" Ash N46E 165.72'
4 1/2" Ash S68E 48.98'
15" metal pipe S15W 91.99'