


Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



EXISTING SURVEYS

Original Government Survey

Original Evidence Found

Year surveyed _____

Year of search _____ by _____

Original monument _____

Monument found _____

Bearing Trees

Original Bearing Trees Found

Species _____

Species _____

Diameter _____

Diameter _____

Bearing _____

Bearing _____

Distance _____

Distance _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration

Year surveyed _____ By _____

Year of search _____ By _____

Location filed: _____

Location filed: _____

Monument: _____

Monument: _____

Bearing Trees, Reference Objects

Bearing Trees, Reference Objects

Species _____

Species _____

Diameter _____

Diameter _____

Bearing _____

Bearing _____

Distance _____

Distance _____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____

Year of search _____ By _____

Location filed: _____

Location filed: _____


Monument: _____

Monument: _____

Index No. P5

CASS COUNTY LAND CORNER RECORD

T. 143 R. 27 M. 5TH Coordinates: X _____ Y _____
E114 19 Corner common to sections 19, 20



EXISTING SURVEYS

Original Government Survey

Year surveyed 1873
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Bearing Trees
Species Cedar Cedar
Diameter 5" 8"
Bearing S70W S80E
Distance 7 LKS 17 LKS

Original Bearing Trees Found
Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed 1920 By E. B. HORST
Location filed COUNTY RESURVEY "E-7"
Monument IRON MONUMENT
1920, BEN CLARK, BOOK "C" P. 394 FWD OLD CEDAR POST
P. 396 SET IRON POST

Evidence of Subsequent Corner Restoration

Year of search APRIL 1999 By L. LEWELLING #16089
CERT. OF LOCATION DOC. # 412252
SET BRASS CAPPED IRON PIPE IN CENTERLINE
OF Co. Rd. # 63

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

0.19m OAK 0.17m ELM 0.42m ELM SIGN POST
S86°W N74°E S72°E S85°W
29.872 m 28.998 m 29.536 m 16.796 m

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

Remonumentation certificate prepared _____

By _____

Filed at _____

Date _____