


T. 143 R. 30 M. 5TH Coordinates: X NE 6 Corner common to sections 5, 6 AND 31, 32 - 144-30 Y



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1875  
Original monument Post

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

Bearing Trees			
Species	<u>Tum</u>	<u>Spruce</u>	<u>Tum</u>
Diameter	<u>8"</u>	<u>6"</u>	<u>8"</u>
Bearing	<u>N60E</u>	<u>N46W</u>	<u>S22E</u>
Distance	<u>20 LKS</u>	<u>15 LKS</u>	<u>23 LKS</u>

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1920 By GLO  
Location filed SEC. OF STATE  
Monument FND NE, SE & SW orig. B.T.S And old wood  
State - Set 2x36" I.P. W/brass cap. T144N R30W

Evidence of Subsequent Corner Restoration

Year of search 1981 By Gary Stevenson  
Found GLO monument in good condition  
1930 BT'S: 12" Cedar N42W 21.8'; 12" Cedar S68E 10.6'

Bearing Trees, Reference Objects			
Species	<u>Spruce</u>	<u>Cedar</u>	<u>Spruce</u>
Diameter	<u>8"</u>	<u>10"</u>	<u>9"</u>
Bearing	<u>N31E</u>	<u>S67 1/2 E</u>	<u>S11W</u>
Distance	<u>30 LKS</u>	<u>16 LKS</u>	<u>23 LKS</u>

orig tree

Bearing Trees, Reference Objects			
Cedar	<u>Bl. Spruce</u>	<u>Cedar</u>	<u>Bl. Spruce</u>
<u>10"</u>	<u>6"</u>	<u>7"</u>	<u>10"</u>
<u>N68W</u>	<u>S73W</u>	<u>N65E</u>	<u>S86E</u>
<u>26.03'</u>	<u>30.00'</u>	<u>17.82'</u>	<u>93.02'</u>

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed \_\_\_\_\_  
Monument \_\_\_\_\_

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
CERTIFICATE - Gary Stevenson - 1982  
Doc. # 264937