


T. 144 R. 27 M. 5TH Coordinates: X _____ Y _____
NE 17 Corner common to sections B, 9, 16, 17



EXISTING SURVEYS

Original Government Survey

Year surveyed 1873
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing Trees			
	<u>N. Pine</u>	<u>Cedar</u>	<u>N. Pine</u>	<u>Cedar</u>
Diameter	<u>20"</u>	<u>10"</u>	<u>25"</u>	<u>6"</u>
Bearing	<u>N25W</u>	<u>S70E</u>	<u>N26E</u>	<u>S27W</u>
Distance	<u>20 LKS</u>	<u>13 LKS</u>	<u>60 LKS</u>	<u>25 LKS</u>

Original Bearing Trees Found

Species			
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

○ = Corner

Subsequent Corner Restoration

Year surveyed 1937 By GLO
Location filed sec. of state
Monument Find SW BIT now 10" and stumps of other bits set concrete mon. 2' long 6" dia w/brass cap

Evidence of Subsequent Corner Restoration

Year of search 1964 By William Okerman
Found GLO monument in good condition.

Species	Bearing Trees, Reference Objects			
	<u>Spruce</u>	<u>Cedar</u>	<u>Cedar</u>	<u>DBI N. Pine</u>
Diameter	<u>N67 1/2 E</u>	<u>5 4/2" 1/4 E</u>	<u>5 7/1 W</u>	<u>N42 3/4 W</u>
Bearing	<u>5"</u>	<u>7"</u>	<u>6"</u>	
Distance	<u>22 LKS</u>	<u>34 LKS</u>	<u>48 LKS</u>	<u>168 LKS</u>

Bearing Trees, Reference Objects

Species		
Diameter	<u>5"</u>	<u>11"</u>
Bearing	<u>N64 E</u>	<u>S45 W</u>
Distance	<u>14.8'</u>	<u>20.5'</u>

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - OKERMAN - 1964