


T. 144 R. 29 M. 5TH Coordinates: X _____ Y _____
N 14 14 Corner common to sections 11, 14



EXISTING SURVEYS

Original Government Survey

Year surveyed 1873

Original monument lost

Bearing Trees

Species	<u>Tam</u>	<u>Cedar</u>	
Diameter	<u>6"</u>	<u>5"</u>	
Bearing	<u>S30W</u>	<u>N63W</u>	
Distance	<u>29 LKS</u>	<u>18 LKS</u>	

Original Evidence Found

Year of search _____ By _____

Monument found _____

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1906 By John Curo

Location filed County Survey Record Book "A" P. 216-217

Monument END OLD GOVT B.T.S: 6" TAM S30W 19.1', 5" CEDAR N63W 11.9', SET WOOD STAKE 1916 - E. B. HIRST - microfilm - roll 105 BK 548 P. 31 new B.T.S:

Evidence of Subsequent Corner Restoration

Year of search 1926 By GLO

Found orig B.T.S? 10" Cedar N16-30W 18 LKS, 10" Dead Cedar S16E 16 LKS set 1936 1. P. W. Cross cap

11 511
14 514
1926

Bearing Trees, Reference Objects

Species	<u>Cedar</u>	<u>Cedar</u>	
Diameter	<u>8"</u>	<u>7"</u>	
Bearing	<u>N20W</u>	<u>S11E</u>	
Distance	<u>11.7'</u>	<u>10.2'</u>	

1916 Trees

Bearing Trees, Reference Objects

Species	<u>Cedar</u>		
Diameter	<u>9"</u>		
Bearing	<u>S16-30W</u>		
Distance	<u>3 LKS</u>		

Subsequent Corner Restoration

Year surveyed _____ By _____

Location filed _____

Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

CERTIFICATE - PETE METER - 1963

Found GLO monument in good condition.

6" Cedar S62 1/2 E 9.8';

6" Cedar S61W 18.7';

7" Cedar N46W 29.1'