

Form 874-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

A-5

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. ⁵⁷58 N. R. 26 W. 4th Mer.
 Section Corner common to Sections
 31, 32, 5, and 6

Corner consists of a Balsam Post (not) in place
 State condition 15 yrs. old.

Dimensions above ground 4 x 4 x 36 inches
 Sketch grooves, letters, figures, or notches, on proper face or edge.
 CARDINAL POSITION DIAGONAL POSITION

N	W	S	E

S 3 I	S 6	S 5	S 5 2
NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S 31 58-26	S 6 37-26		S 32 58-26
BT	BT	BT	BT

Species Cedar Cedar Balsam Balsam
 Diameter 14" 8" 8" 12"
 Bearing N64° 20' W S7° 30' W S41° 30' W S87° 45' E
 Distance 52 lk. 43 lk. 2 lk. 23 lk.

Do you believe this to be a genuine Land Office Corner? NO
 If not, why? Corner not old enough. None
of the BT's are GLO.

Seth W. Peterson
 (Signature)


8/19/37
 (Date)

Jr. Asst. to Tech.
 (Title)

A-5

Corner again.
 T1. # 570 runs E & W 30' S of the Corner.
 Survey lines brushed out N.E. & W from
 the corner, all converging at the post.
 Above date does not agree with those
 reported by Juneau 6/17/36. Difference b
 believed to be due to topographical
 errors.

Give any further facts which will aid in finding this
 0.06 chains distant.
 from which this Corner bears S 41° 45E
 side of tree
 tree 5 inches diameter, on the SE
 Metal Location Poster is on a Balsam



(Make sketch of topography near Corner)

Form 874-9--Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

4-5

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 37 N. R. 26 W. 4 Mer.
 Section

Corner common to Sections 31, 32, 5, and 6

Corner consists of a Balsam Post (not) in place
 State condition 15 yrs. old.

Dimensions above ground 4 x 4 x 36 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.
 CARDINAL POSITION DIAGONAL POSITION

N	W	S	E

S 3 1	S 6	S 5	S 3 2
NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S 31 33-26	S 6 37-26		S 32 38-26
BT	BT	BT	BT

Species Cedar Cedar Balsam Balsam
 Diameter 14" 8" 8" 12"
 Bearing N64° 20' W S7° 30' W S41° 30' W S87° 45' E
 Distance 32 lk. 43 lk. 2 lk. 23 lk.

Do you believe this to be a genuine Land Office Corner? no
 If not, why? corner not old enough. None
of the BT's are CLO.

Leth W. Peterson
 (Signature)

8/19/37
 (Date)


IT. Asst. to Tech.
 (Title)

A-5

Corner again.
 T. & 870 runs E & N 30° S of the corner.
 Survey lines brushed out N. 45° and N. 15°
 the corner, all converted at the post.
 Above data not agree with those
 reported by Johnson 6/17/36. Different
 believed to be due to typographical
 errors.

0-06 chains distant.
 Give any further facts which will aid in finding this

Metal Location Poster is on a **Baldern**
 tree 3 inches diameter, on the **SE**
 side of **Tree**
 from which this Corner bears **N 15° 45'**



(Make sketch of topography near Corner)