

U. S. Department of Agriculture

FOREST SERVICE

A-22

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57 & 58 N. R. 27 W. 4th P. Mer.

N. 1/16

Corner common to Sections

1, and 36

Corner consists of a iron pipe & cedar post in place

State condition good

Dimensions above ground pipe 1x6, post 3x4x24 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N 1/16	W	N 1/16	E
S 36	W	S 1	E
N	W	S	E

NW	SW	SE	NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

N-1/16	N 1/16		
S 1-36	S 1-36		
BT	BT		

Species Cedar Aspen

Diameter 14" 12"

Bearing S25°W S40°E

Distance .30 ch. .22 ch.

Do you believe this to be a genuine Land Office Corner? No

If not, why? Set by county surveyor

*Edmund R. ...*

(Signature)

Jr. Asst. to Tech.

(Title)

2/17/38

(Date)

A-22

Corner again.

Give any further facts which will aid in finding this

chains distant.

0.36

from which this Corner bears

S. 58° E.

side of


Brushed line

tree inches diameter, on the

North

Metal Location Poster is on a

Cedar



(Make sketch of topography near Corner)

U. S. Department of Agriculture  
FOREST SERVICE

A-22

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57 & 58 N. R. 27 W. 4th P. Mer.

N. 1/16

Corner common to Sections

1, and 36

Corner consists of a iron pipe & cedar post in place

State condition good

Dimensions above ground pipe 1x6, post 3x4x24 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

W 1/16	W 1/16		
S 36	S 1		
N	W	S	E

NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

W-1/16 S 1-36	N 1/16 S 1-36		
BT	BT		

Species Cedar Aspen

Diameter 14" 12"

Bearing S25°W S40°E

Distance .50 ch. .22 ch.

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? Set by county surveyor

*Edgar Peterson*  
(Signature)

Jr. Asst. to Tech.  
(Title)

2/17/39  
(Date)

A-22

Corner again.

Give any further facts which will aid in finding this

chains distant.


0.36

from which this Corner bears S. 52° W.

side of Brushed line

tree 4 inches diameter, on the North

Metal Location Poster is on a Cedar



(Make sketch of topography near Corner)

T. 57-58N R. 27W 4th P. Mer.

U. S. Department of Agriculture  
FOREST SERVICE

Chippewa NATIONAL FOREST

A 22

CORNERS OF THE PUBLIC SURVEY

T. 57 & 58 N. R. 27 W. 4th P. Mer.

W. 1/16

Corner common to sections

1, and 36

Corner consists of a iron pipe & cedar post in place

State condition good

Dimensions above ground pipe 1x6, post 3x4x24 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

W 1/16	W 1/16		
S 36	S 1		
N	W	S	E

NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

W-1/16	N 1/16		
S 1-36	S 1-36		
BT	BT		

Species Cedar Aspen

Diameter 14" 12"

Bearing S25°W S40°E

Distance .30 ch. .22 ch.

Do you believe this to be a genuine Land Office Corner? **no**

If not, why? Set by county surveyor

*Edw. Peterson*  
(Signature)

2/17/38  
(Date)

Jr. Asst. to Tech.  
(Title)

(Make sketch of topography near Corner)

T. 57-58N R. 27W 4th P. Mer.


Metal Location Poster is on a Cedar

tree 4 inches diameter, on the North side of Brushed line

from which this Corner bears S. 52° W.

0.36

chains distant.

Give any further facts which will aid in finding this Corner again.