

Form 874-9—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

N-25  
 A-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 27W 9th Mer.

Section Corner common to Sections  
13, 18, 19, and 29

Corner consists of a 3" scribed Post (not) in place  
 State condition Fair

Dimensions above ground 30 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

T 57N R 27W 5.13	5.24	5.19	5.18 T 57N R 27W
---------------------	------	------	---------------------

N W S E

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

B.T.			

Species Dry W. Birch

Diameter 12"

Bearing S 30° E

Distance 891ks

Do you believe this to be a genuine Land Office Corner? NO

If not, why? B.T. does not check with G.L.O.

Notes

Arthur J. Johnson  
 (Signature)

2/8/90  
 (Date)

Squad Foreman  
 (Title)

N-25

*Witness Post sets in fence corner 7142 South*

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 57N R. 26427W 471 Mer.

Form 874-B—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY <sup>W 25</sup>

T. 57N R. 26-27 W 4th Mer.

Section Corner common to Sections  
18, 19, 13, and 29

Corner consists of a 3" scribed Post (not) in place  
 State condition Fair

Dimensions above ground 30 inches  
 Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

T57N/R27W 5.13	5.24	5.19	T57N/R26W 5.18
NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

B.T.			

Species Dry H. Birch

Diameter 12"

Bearing S 38° E

Distance 89 lks

Do you believe this to be a genuine Land Office Corner? NO

If not, why? B.T. does not check with G. h. O. Notes


Arthur J. Johnson  
 (Signature)

2/18/40  
 (Date)

Squad Foreman  
 (Title)

Corner again.  
M. Inces Post sets in Fence Corner 7/13 South

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant. Give any further facts which will aid in finding this



(Make sketch of topography near Corner)

T. 57N R. 26+27W 976 Mer.

Form 874-9—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

N-25

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R26-27W 4th Mer.

Section Corner common to Sections

18, 19, 13, and 29

Corner consists of a 3" scribed Post (not) in place

State condition Fair

Dimensions above ground 30 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

5.13 1530N25W	5.24	5.19	5.18 1530N25W
------------------	------	------	------------------

N W S E

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

B.T.			

Species Dec. Birch

Diameter 12"

Bearing 538°E.

Distance 89 1/2

Do you believe this to be a genuine Land Office Corner? NO.

If not, why? B.T. does not check with

Original Notes. Evidently County

Surveyor's Work.

Arthur J. Johnson

(Signature)

Squad Foreman

(Title)


2/8/90

(Date)

11-25

Corner again.  
Witness Post set in Fence  
Corner 9714's South of Center  
of Road.

Give any further facts which will aid in finding this  
chains distant.  
from which this Corner bears  
side of  
tree inches diameter, on the  
Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 57N R. 26E 27W 974 Mer.