

U. S. Department of Agriculture  
FOREST SERVICE

R-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 58 N R. 25 W 4 Mer.

Section Corner common to Sections  
21, 22, 27, and 28

Corner consists of a 3" Spruce (not) in place  
State condition Poor

Dimensions above ground 24 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION


S	S	S	S
21	28	27	22

N W S E

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S
21




BT
----

--

--

--

Species Spruce

Diameter 12"

Bearing N 25° W

Distance 24 1/2

Do you believe this to be a genuine Land Office Corner? yes

If not, why? \_\_\_\_\_

Ervin Manghar

(Signature)

Field Ass't


(Title)

10-23-34

(Date)

Corner again.  
ON E side of square corner  
bears NW-SE  
Corner at 1/19 & 5/115 E

Give any further facts which will aid in finding this  
chains distant.  
1/19  
from which this Corner bears  
side of  
tree 7 inches diameter, on the  
N. Pine  
Metal Location Poster is on a



(Make sketch of topography near Corner)

T. S. R. R. 25 N. 4 Mer.

U. S. Department of Agriculture  
FOREST SERVICE

R-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 58 N R. 25 W 4th Mer.

Section Corner common to Sections  
21, 22, 27, and 28

Corner consists of a 3 in. Spruce (not) in place  
State condition poor

Dimensions above ground 2 feet inches  
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

S	S	S	S
21	28	27	22
NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S 21			
B.T			

Species Spruce

Diameter 12 in

Bearing N 25° W

Distance 24-1 KS

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

Ervin Meagher  
(Signature)

10-23-34  
(Date)

Field Ass't  
(Title)

COR 150N E. side of  
SPRUCE SWAMP which  
bears N.W. and S.E.  
CONTACT road is 50 lks

Corner again.

Give any further facts which will aid in finding this

chains distant.


1.19

From which this Corner bears S. 60° W

side of tree

tree 7 inches diameter, on the S.W

Metal Location Poster is on a N. PINE



(Make sketch of topography near Corner)

T. 58 N R. 25 W 4th Mer.

U. S. Department of Agriculture

FOREST SERVICE

*Posted*

Chippewa NATIONAL FOREST R 13

CORNERS OF THE PUBLIC SURVEY

T. 58 N. R. 25 W. 4<sup>th</sup> Mer.

Section Corner common to Sections  
21, 22, 27, and 28

Corner consists of a 3 in Spruce in place  
State condition POOR

Dimensions above ground 2 feet inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

S	S	S	S
21	28	27	22
NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S 21			
B.T.			

Species Spruce

Diameter 1 1/2 in

Bearing N 25° W

Distance 24-1ks

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

Ervin Meagher  
(Signature)

10-23-34  
(Date)

Field Ass't  
(Title)

Corner again.  
 COR. IS ON E. SIDE OF  
 SPRUCE SWAMP WHICH  
 BEARS N.W. AND S.E.  
 COUNTY ROAD IS 50 YDS  
 E.

Give any further facts which will aid in finding this


chains distant. 1.19

From which this Corner bears S. 60° W.

side of tree

tree 7 inches diameter, on the S.W.

Metal Location Poster is on a N. PINE



(Make sketch of topography near Corner)

T. 58 N. R. 25 W. 4th Mer.